



REPUBLIC OF KENYA COUNTY GOVERNMENT OF ISIOLO DEPARTMENT OF PUBLIC WORKS

P.O BOX 36-60300, Isiolo Website: www.isiolo.go.ke

TENDER NAME: PROPOSED CONSTRUCTION OF DISPENSARY AT RIGA, ISIOLO COUNTY.

TENDER NO: ICG/EQ/DISP/02/2024

CATEGORY: YOUTH/WOMEN

PUBLISHED ON: 22ND JULY 2024

CLOSING DATE: 05TH AUGUST 2024

CLIENT:

COUNTY GOVERNMENT OF ISIOLO P.O BOX 36-60300, ISIOLO.

CONSULTANTS:

DEPARTMENT OF PUBLIC WORKS, ISIOLO COUNTY.
P.O BOX 36-60300, ISIOLO.



COUNTY GOVERNMENT OF ISIOLO

DEPARTMENT OF PUBLIC WORKS

SIGNATURE PAGE AND NOTES

Supplied as part of the Contract for the **PROPOSED CONSTRUCTION OF DISPENSARY AT RIGA.**

Issued by: Quantities and Contracts Department
Department of Public Works
Isiolo County
P O Box 38–60300
ISIOLO

| The contract for the above mentioned works entered into this day of | | | | |
|---|---|--|--|--|
| CONTRACTOR | COUNTY GOVERNMENT OF ISIOLO P.O BOX 36-60300 ISIOLO | | | |
| Date: | Date: | | | |

SPECIAL NOTES

The Contractor is required to check the numbers of the pages of these Bills of Quantities and should he find any missing or in duplicate or figures indistinct he must inform County Works Officer (Department of Public Works) Isiolo County Government once and have the same rectified.

Should the Contractor be in doubt about the precise meaning of any item or figure for any reason whatsoever, he must inform the County Works Officer Isiolo in order that the correct meaning may be decided before the date for submission of tenders.

No liability will be admitted nor claim allowed in respect of errors in the Contractor's Tender due to mistakes in the Specifications which should have been rectified in the manner described above.

INTRODUCTION

1.3

- 1.1 This standard tender document for procurement of works has been prepared for use by procuring entities in Kenya in the procurement of works (i.e. Buildings and associated Civil Engineering Works).
- 1.2 The following guidelines should be observed when using the document: -
 - (a) Specific details should be furnished in the Invitation to tender and in the special conditions of contract (where applicable). The tender document issued to tenderers should not have blank spaces or options.
 - (b) The instruction to tenderers and the General Conditions of Contract should remain unchanged. Any necessary amendments to these parts should be made through Appendix to instructions to tenderers and special conditions of contract respectively.
 - (b) Information contained in the invitation to tender shall conform to the data and information in the tender documents to enable prospective tenderers to decide whether or not to participate in the tender and shall indicate any important tender requirements
 - (c) The invitation to tender shall be as an advertisement in accordance with the regulations or a letter of invitation addressed to tenderers who have been prequalified following a request for prequalification
- 1.4 The cover of the document shall be modified to include: -
 - I. Tender number.
 - II. Tender name.
 - III. Name of procuring entity.

SECTION I

INVITATION TO TENDER

Tender Name: PROPOSED CONSTRUCTION OF DISPENSARY AT RIGA, ISIOLO COUNTY.

| | OUNTY GOVERNMENT OF ISIOLO invites sealed tenders for the on of the PROPOSED CONSTRUCTION OF DISPENSARY AT RIGA, ISIOLO Y. |
|-----|--|
| 1.2 | Interested eligible candidates may obtain further information and inspect tender documents at Isiolo County Public Works Offices P.o Box 36-60300 Isiolo during normal working hours. |
| 1.3 | A complete set of tender documents may be obtained from Isiolo county website free of charge. |
| 1.4 | Prices quoted should be net inclusive of all taxes, must be in Kenya shillings and shall remain valid for 120 days from the closing date of tender. |
| 1.5 | Completed tender documents are to be enclosed in plain sealed envelopes marked with Tender name and reference number and deposited in the Tender Box at Isiolo County treasury offices (address and location) or to be addressed to the,(COUNTY GOVERNMENT OF ISIOLO P.O BOX 36-60300, ISIOLO) so as to be received on or before 05 TH AUGUST 2024 at 10.00am |
| 1.6 | Tenders will be opened immediately thereafter in the presence of the candidates or their representatives who choose to attend at Isiolo County Treasury building |
| | For (accounting Officer/ Procuring Entity) |



COUNTY GOVERNMENT OF ISIOLO

PROPOSED CONSTRUCTION OF DISPENSARY AT RIGA, ISIOLO COUNTY.

| SECTION | CONTENT | PAGE NO |
|--------------|------------------------------------|---------|
| I | Invitation for tender | 4 |
| II | Instruction to tenderers | 6-16 |
| III | Conditions of Contract | 17-34 |
| IV | Appendix to conditions of contract | 35-37 |
| IV | Specifications | 38 |
| \mathbf{V} | Drawings | 39 |
| VI | Bill of Quantities | 40 |
| V | Standard forms | 41-62 |

SECTION II INSTRUCTIONS TO TENDERERS.

1. General/Eligibility/Qualifications/Joint venture/Cost of tendering

- 1.1 The Employer as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The successful tenderer will be expected to complete the Works by the Intended Completion Date specified in the tender documents.
- 1.2 All tenderers shall provide the Qualification Information, a statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or has not been associated in the past, directly or indirectly, with the Consultant or any other entity that has prepared the design, specifications, and other documents for the project or being proposed as Project Manager for the Contract. A firm that has been engaged by the Employer to provide consulting services for the preparation or supervision of the Works, and any of its affiliates, shall not be eligible to tender.
- 1.3 All tenderers shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including drawings and charts, as necessary.
- 1.4 In the event that pre-qualification of potential tenderers has been undertaken, only tenders from pre-qualified tenderers will be considered for award of Contract. These qualified tenderers should submit with their tenders any information updating their original pre-qualification applications or, alternatively, confirm in their tenders that the originally submitted pre-qualification information remains essentially correct as of the date of tender submission.
- 1.5 Where no pre-qualification of potential tenderers has been done, all tenderers shall include the following information and documents with their tenders, unless otherwise stated:
 - (a) Copies of original documents defining the constitution or legal status, place of registration, and principal place of business; written power of attorney of the signatory of the tender to commit the tenderer:
 - (b) Total monetary value of construction work performed for each of the last five years:
 - (c) experience in works of a similar nature and size for each of the last five years, and details of work under way or contractually committed; and names and addresses of clients who may be contacted for further information on these contracts;
 - (d) Major items of construction equipment proposed to carry out the Contract and an undertaking that they will be available for the Contract.
 - (e) Qualifications and experience of key site management and technical personnel proposed for the Contract and an undertaking that they shall be available for the Contract.

- (f) reports on the financial standing of the tenderer, such as profit and loss statements and auditor's reports for the past five years;
- (g) Evidence of adequacy of working capital for this Contract (access to line(s) of credit and availability of other financial resources);
- (h) Authority to seek references from the tenderer's bankers;
- (i) Information regarding any litigation, current or during the last five years, in which the tenderer is involved, the parties concerned and disputed amount; and
- (j) Proposals for subcontracting components of the Works amounting to more than 10 percent of the Contract Price.
- 1.6 Tenders submitted by a joint venture of two or more firms as partners shall comply with the following requirements, unless otherwise stated:
 - (a) The tender shall include all the information listed in clause 1.5 above for each joint venture partner;
 - (b) The tender shall be signed so as to be legally binding on all partners;
 - (c) All partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms;
 - (d) One of the partners will be nominated as being in charge, authorized to incur liabilities, and receive instructions for and on behalf of all partners of the joint venture; and
 - (e) The execution of the entire Contract, including payment, shall be done exclusively with the partner in charge.
- 1.7 To qualify for award of the Contract, tenderers shall meet the following minimum qualifying criteria;
 - (a) Annual volume of construction work of at least 2.5 times the estimated annual cashflow for the Contract;
 - (b) Experience as main contractor in the construction of at least two works of a nature and complexity equivalent to the Works over the last 10 years (to comply with this requirement, works cited should be at least 70 percent complete);
 - (c) Proposals for the timely acquisition (own, lease, hire, etc.) of the essential equipment listed as required for the Works;
 - (d) A Contract manager with at least five years' experience in works of an equivalent nature and volume, including no less than three years as Manager; and

- (e) Liquid assets and/or credit facilities, net of other contractual commitments and exclusive of any advance payments which may be made under the Contract, of no less than 4 months of the estimated payment flow under this Contract.
- 1.8 The figures for each of the partners of a joint venture shall be added together to Determine the tenderer's compliance with the minimum qualifying criteria of clause
 - 1.7 (a) and (e); however, for a joint venture to qualify, each of its partners must meet at least 25 percent of minimum criteria 1.7 (a), (b) and (e) for an individual tenderer, and the partner in charge at least 40 percent of those minimum criteria. Failure to comply with this requirement will result in rejection of the joint venture's tender. Subcontractors' experience and resources will not be taken into account in determining the tenderer's compliance with the qualifying criteria, unless otherwise stated.
- 1.9 Each tenderer shall submit only one tender, either individually or as a partner in a joint venture. A tenderer who submits or participates in more than one tender (other than as a subcontractor or in cases of alternatives that have been permitted or requested) will cause all the proposals with the tenderer's participation to be disqualified.
- 1.10 The tenderer shall bear all costs associated with the preparation and submission of his tender, and the Employer will in no case be responsible or liable for those costs.
- 1.11 The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Works and its surroundings, and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the tenderer's own expense.
- 1.12 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 1.13 The price to be charged for the tender document shall not exceed Kshs.5,000/=
- 1.14 The procuring entity shall allow the tenderer to review the tender document free of charge before purchase.

2. Tender Documents

- 2.1 The complete set of tender documents comprises the documents listed below and any addenda issued in accordance with Clause 2.4.
 - (a) These Instructions to Tenderers
 - (b) Form of Tender and Qualification Information
 - (c) Conditions of Contract
 - (d) Appendix to Conditions of Contract
 - (e) Specifications
 - (f) Drawings
 - (g) Bills of Quantities
 - (h) Forms of Securities

- 2.2 The tenderer shall examine all Instructions, Forms to be filled and Specifications in the tender documents. Failure to furnish all information required by the tender documents, or submission of a tender not substantially responsive to the tendering documents in every respect will be at the tenderer's risk and may result in rejection of his tender.
- 2.3 A prospective tenderer making an inquiry relating to the tender documents may notify the Employer in writing or by cable, telex or facsimile at the address indicated in the letter of invitation to tender. The Employer will only respond to requests for clarification received earlier than seven days prior to the deadline for submission of tenders. Copies of the Employer's response will be forwarded to all persons issued with tendering documents, including a description of the inquiry, but without identifying its source.
- 2.4 Before the deadline for submission of tenders, the Employer may modify the tendering documents by issuing addenda. Any addendum thus issued shall be part of the tendering documents and shall be communicated in writing or by cable, telex or facsimile to all tenderers. Prospective tenderers shall acknowledge receipt of each addendum in writing to the Employer.
- 2.5 To give prospective tenderers reasonable time in which to take an addendum into account in preparing their tenders, the Employer shall extend, as necessary, the deadline for submission of tenders, in accordance with Clause 4.2 here below.

3. Preparation of Tenders

- 3.1 All documents relating to the tender and any correspondence shall be in English language.
- 3.2 The tender submitted by the tenderer shall comprise the following:
 - (a) These Instructions to Tenderers Form of Tender, Conditions of Contract, Appendix to Conditions of Contract and Specifications;
 - (b) Tender Security;
 - (c) Priced Bill of Quantities;
 - (d) Qualification Information Form and Documents;
 - (e) Alternative offers where invited; and
 - (f) Any other materials required to be completed and submitted by the tenderers.
- 3.3 The tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items for which no rate or price is entered by the tenderer will not be paid for when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities. All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause relevant to the Contract, as of 30 days prior to the deadline for submission of tenders, shall be included in the tender price submitted by the tenderer.

- 3.4 The rates and prices quoted by the tenderer shall only be subject to adjustment during the performance of the Contract if provided for in the Appendix to Conditions of Contract and provisions made in the Conditions of Contract.
- 3.5 The unit rates and prices shall be in Kenya Shillings.
- 3.6 Tenders shall remain valid for a period of sixty (120) days from the date of submission. However in exceptional circumstances, the Employer may request that the tenderers extend the period of validity for a specified additional period. The request and the tenderers' responses shall be made in writing. A tenderer may refuse the request without forfeiting the Tender Security. A tenderer agreeing to the request will not be required or permitted to otherwise modify the tender, but will be required to extend the validity of Tender Security for the period of the extension, and in compliance with Clause 3.7 3.11 in all respects.
- 3.7 The tenderer shall furnish, as part of the tender, a Tender Security in the amount and form specified in the appendix to invitation to tenderers. This shall be in the amount not exceeding 2 percent of the tender price
- 3.8 The format of the Tender Security should be in accordance with the form of Tender Security included in Section G Standard forms or any other form acceptable to the Employer. Tender Security shall be valid for 30 days beyond the validity of the tender.
- 3.9 Any tender not accompanied by an acceptable Tender Security shall be rejected. The Tender Security of a joint venture must define as "Tenderer" all joint venture partners and list them in the following manner: a joint venture consisting of ".....", "......", and "........".
- 3.10 The Tender Securities of unsuccessful tenderers will be returned within 28 days of the end of the tender validity period specified in Clause 3.6.
- 3.11 The Tender Security of the successful tenderer will be discharged when the tenderer has signed the Contract Agreement and furnished the required Performance Security.
- 3.12 The Tender Security may be forfeited
 - (a) if the tenderer withdraws the tender after tender opening during the period of tender validity;
 - (b) if the tenderer does not accept the correction of the tender price, pursuant to Clause 5.7;
 - (c) in the case of a successful tenderer, if the tenderer fails within the specified time limit to
 - (i) sign the Agreement, or
 - (ii) furnish the required Performance Security.
- 3.13 Tenderers shall submit offers that comply with the requirements of the tendering documents, including the basic technical design as indicated in the Drawings and

Specifications. Alternatives will not be considered, unless specifically allowed in the invitation to tender. If so allowed, tenderers wishing to offer technical alternatives to the requirements of the tendering documents must also submit a tender that complies with the requirements of the tendering documents, including the basic technical design as indicated in the Drawings and Specifications. In addition to submitting the basic tender, the tenderer shall provide all information necessary for a complete evaluation of the alternative, including design calculations, technical specifications, breakdown of prices, proposed construction methods and other relevant details. Only the technical alternatives, if any, of

the lowest evaluated tender conforming to the basic technical requirements shall be considered.

- 3.14 The tenderer shall prepare one original of the documents comprising the tender documents as described in Clause 3.2 of these Instructions to Tenderers, bound with the volume containing the Form of Tender, and clearly marked "ORIGINAL". In addition, the tenderer shall submit copies of the tender, in the number specified in the invitation to tender, and clearly marked as "COPIES". In the event of discrepancy between them, the original shall prevail.
- 3.15 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by a person or persons duly authorised to sign on behalf of the tenderer, pursuant to Clause 1.5 (a) or 1.6 (b), as the case may be. All pages of the tender where alterations or additions have been made shall be initialled by the person or persons signing the tender.
- 3.16 Clarification of tenders shall be requested by the tenderer to be received by the procuring entity not later than 7 days prior to the deadline for submission of tenders.
- 3.17 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.
- 3.18 The tender security shall be in the amount of 0.5 2 per cent of the tender price.

4. Submission of Tenders

- 4.1 The tenderer shall seal the original and all copies of the tender in two inner envelopes and one outer envelope, duly marking the inner envelopes as "ORIGINAL" and "COPIES" as appropriate. The inner and outer envelopes shall:
 - (a) be addressed to the Employer at the address provided in the invitation to tender;
 - (b) bear the name and identification number of the Contract as defined in the invitation to tender; and
 - (c) provide a warning not to open before the specified time and date for tender opening.
- 4.2 Tenders shall be delivered to the Employer at the address specified above not later than the time and date specified in the invitation to tender. However, the Employer

may extend the deadline for submission of tenders by issuing an amendment in accordance with Sub-Clause 2.5 in which case all rights and obligations of the Employer and the tenderers previously subject to the original deadline will then be subject to the new deadline.

- 4.3 Any tender received after the deadline prescribed in clause 4.2 will be returned to the tenderer un-opened.
- 4.4 Tenderers may modify or withdraw their tenders by giving notice in writing before the deadline prescribed in clause 4.2. Each tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and delivered in accordance with clause 3.13 and 4.1, with the outer and inner envelopes additionally marked "MODIFICATION" and "WITHDRAWAL", as appropriate. No tender may be modified after the deadline for submission of tenders.
- 4.5 Withdrawal of a tender between the deadline for submission of tenders and the expiration of the period of tender validity specified in the invitation to tender or as extended pursuant to Clause 3.6 may result in the forfeiture of the Tender Security pursuant to Clause 3.11.
- 4.6 Tenderers may only offer discounts to, or otherwise modify the prices of their tenders by submitting tender modifications in accordance with Clause 4.4 or be included in the original tender submission.

5. Tender Opening and Evaluation

- 5.1 The tenders will be opened by the Employer, including modifications made pursuant to Clause 4.4, in the presence of the tenderers' representatives who choose to attend at the time and in the place specified in the invitation to tender. Envelopes marked "WITHDRAWAL" shall be opened and read out first. Tenderers' and Employer's representatives who are present during the opening shall sign a register evidencing their attendance.
- 5.2 The tenderers' names, the tender prices, the total amount of each tender and of any alternative tender (if alternatives have been requested or permitted), any discounts, tender modifications and withdrawals, the presence or absence of Tender Security, and such other details as may be considered appropriate, will be announced by the Employer at the opening. Minutes of the tender opening, including the information disclosed to those present will be prepared by the Employer.
- 5.3 Information relating to the examination, clarification, evaluation, and comparison of tenders and recommendations for the award of Contract shall not be disclosed to tenderers or any other persons not officially concerned with such process until the award to the successful tenderer has been announced. Any effort by a tenderer to influence the Employer's officials, processing of tenders or award decisions may result in the rejection of his tender.
- 5.4 To assist in the examination, evaluation, and comparison of tenders, the Employer at his discretion, may ask any tenderer for clarification of the tender, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, telex or facsimile but no change in the price or substance of the tender shall be sought, offered, or permitted except as required to confirm the

correction of arithmetic errors discovered in the evaluation of the tenders in accordance with Clause 5.7.

- 5.5 Prior to the detailed evaluation of tenders, the Employer will determine whether each tender (a) meets the eligibility criteria defined in Clause 1.7;(b) has been properly signed; (c) is accompanied by the required securities; and (d) is substantially responsive to the requirements of the tendering documents. A substantially responsive tender is one which conforms to all the terms, conditions and specifications of the tendering documents, without material deviation or reservation. A material deviation or reservation is one (a) which affects in any substantial way the scope, quality, or performance of the works; (b) which limits in any substantial way, inconsistent with the tendering documents, the Employer's rights or the tenderer's obligations under the Contract; or (c) whose rectification would affect unfairly the competitive position of other tenderers presenting substantially responsive tenders.
- 5.6 If a tender is not substantially responsive, it will be rejected, and may not subsequently be made responsive by correction or withdrawal of the nonconforming deviation or reservation.
- 5.7 Tenders determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows:
 - (a) where there is a discrepancy between the amount in figures and the amount in words, the amount in words will prevail; and
 - (b) where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will prevail, unless in the opinion of the Employer, there is an obvious typographical error, in which case the adjustment will be made to the entry containing that error.
 - (c) In the event of a discrepancy between the tender amount as stated in the Form of Tender and the corrected tender figure in the main summary of the Bill of Quantities, the amount as stated in the Form of Tender shall prevail.
 - (d) The Error Correction Factor shall be computed by expressing the difference between the tender amount and the corrected tender sum as a percentage of the corrected Builder's Work (i.e. Corrected tender sum less P.C. and Provisional Sums)
 - (e) The Error Correction Factor shall be applied to all Builder's Work (as a rebate or addition as the case may be) for the purposes of valuations for Interim Certificates and valuation of variations.
 - (f) the amount stated in the tender will be adjusted in accordance with the above procedure for the correction of errors and, with concurrence of the tenderer, shall be considered as binding upon the tenderer. If the tenderer does not accept the corrected amount, the tender may be rejected and the Tender Security may be forfeited in accordance with clause 3.11.
- 5.8 The Employer will evaluate and compare only the tenders determined to be substantially responsive in accordance with Clause 5.5.

- 5.9 In evaluating the tenders, the Employer will determine for each tender the evaluated tender price by adjusting the tender price as follows:
 - (a) making any correction for errors pursuant to clause 5.7;
 - (b) excluding provisional sums and the provision, if any, for contingencies in the Bill of Quantities, but including Dayworks where priced competitively.
 - (c) making an appropriate adjustment for any other acceptable variations, deviations, or alternative offers submitted in accordance with clause 3.12; and
 - (d) making appropriate adjustments to reflect discounts or other price modifications offered in accordance with clause 4.6
- 5.10 The Employer reserves the right to accept or reject any variation, deviation, or alternative offer. Variations, deviations, and alternative offers and other factors which are in excess of the requirements of the tender documents or otherwise result in unsolicited benefits for the Employer will not be taken into account in tender evaluation.
- 5.11 The tenderer shall not influence the Employer on any matter relating to his tender from the time of the tender opening to the time the Contract is awarded. Any effort by the Tenderer to influence the Employer or his employees in his decision on tender evaluation, tender comparison or Contract award may result in the rejection of the tender.
- 5.12 Firms incorporated in Kenya where indigenous Kenyans own 51% or more of the share capital shall be allowed a 10% preferential bias provided that they do not subcontract work valued at more than 50% of the Contract Price excluding Provisional Sums to an Non-indigenous sub-contractor.

6. Award of Contract

- 6.1 Subject to Clause 6.2, the award of the Contract will be made to the tenderer whose tender has been determined to be substantially responsive to the tendering documents and who has offered the lowest evaluated tender price, provided that such tenderer has been determined to be (a) eligible in accordance with the provision of Clauses 1.2, and (b) qualified in accordance with the provisions of clause 1.7 and 1.8.
- 6.2 Notwithstanding clause 6.1 above, the Employer reserves the right to accept or reject any tender, and to cancel the tendering process and reject all tenders, at any time prior to the award of Contract, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the action.
- 6.3 The tenderer whose tender has been accepted will be notified of the award prior to expiration of the tender validity period in writing or by cable, telex or facsimile. This notification (hereinafter and in all Contract documents called the "Letter of Acceptance") will state the sum (hereinafter and in all Contract documents called the

"Contract Price")that the Employer will pay the Contractor in consideration of the execution, completion, and maintenance of the Works by the Contractor as prescribed by the Contract. At the same time the other tenderers shall be informed that their tenders have not been successful.

The contract shall be formed on the parties signing the contract.

- 6.4 The Agreement will incorporate all agreements between the Employer and the successful tenderer. Within 14 days of receipt the successful tenderer will sign the Agreement and return it to the Employer.
- 6.5 Within 21 days after receipt of the Letter of Acceptance, the successful tenderer shall deliver to the Employer a Performance Security in the amount stipulated in the Appendix to Conditions of Contract and in the form stipulated in the Tender documents. The Performance Security shall be in the amount and specified form
- 6.6 Failure of the successful tenderer to comply with the requirements of clause 6.5 shall constitute sufficient grounds for cancellation of the award and forfeiture of the Tender Security.
- 6.7 Upon the furnishing by the successful tenderer of the Performance Security, the Employer will promptly notify the other tenderers that their tenders have been unsuccessful.
- 6.8 Preference where allowed in the evaluation of tenders shall not be allowed for contracts not exceeding one year (12 months)
- 6.9 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.
- 6.10 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.
- 6.11 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 6.12 Where contract price variation is allowed, the valuation shall not exceed 15% of the original contract price.
- 6.13 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.
- 6.14 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 6.15 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.
- 6.16 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

7. Corrupt and Fraudulent practices

7.1 The procuring entity requires that tenderers observe the highest standards of ethics during procurement process and execution of contracts. A tenderer shall sign a declaration that he has not and will not be involved in corrupt and fraudulent practices.

APPENDIX TO INSTRUCTIONS TO TENDERERS

| Instructions to Tenderers Reference | Particulars of appendix to instructions to tenderers |
|---|---|
| Clause 1.5,1.7 | See attached Evaluation criteria |
| Clause 1.13 | The tender document shall be downloaded free of charge from Isiolo county website www.isiolo.go.ke |
| Clause 3.6 | The bid validity period shall be: 120 calendar days. |
| Clause 3.7 | A Bid Security shall be required. The amount and currency of the bid security shall be: 1% of tendered amount |
| Clause 4.1 | In addition to the original bid , the number of copies is: One (1) copy. |

SECTION III

CONDITIONS OF CONTRACT

1. Definitions

- 1.1 In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated;
 - "Bill of Quantities" means the priced and completed Bill of Quantities forming part of the tender.
 - "Compensation Events" are those defined in Clause 24 hereunder.
 - "The Completion Date" means the date of completion of the Works as certified by the Project Manager, in accordance with Clause 31.
 - "The Contract" means the agreement entered into between the Employer and the Contractor as recorded in the Agreement Form and signed by the parties including all attachments and appendices thereto and all documents incorporated by reference therein to execute, complete, and maintain the Works,
 - "The Contractor" refers to the person or corporate body whose tender to carry out the Works has been accepted by the Employer.
 - **"The Contractor's Tender"**is the completed tendering document submitted by the Contractor to the Employer.
 - "The Contract Price" is the price stated in the Letter of Acceptance and thereafter as adjusted in accordance with the provisions of the Contract.
 - "Days" are calendar days; "Months" are calendar months.
 - "A Defect" is any part of the Works not completed in accordance with the Contract.
 - "The Defects Liability Certificate" is the certificate issued by Project Manager upon correction of defects by the Contractor.
 - "The Defects Liability Period" is the period named in the Contract Data and calculated from the Completion Date.
 - "Drawings" include calculations and other information provided or approved by the Project Manager for the execution of the Contract.
 - "Dayworks" are Work inputs subject to payment on a time basis for labour and the associated materials and plant.
 - "Employer", or the "Procuring entity" as defined in the Public Procurement Regulations (i.e. Central or Local Government administration, Universities, Public Institutions and Corporations, etc.) is the party who employs the Contractor to carry out the Works.

- **"Equipment"** is the Contractor's machinery and vehicles brought temporarily to the Site for the execution of the Works.
- "The Intended Completion Date" is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.
- "Materials" are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- "Plant" is any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.
- **"Project Manager"** is the person named in the Appendix to Conditions of Contract (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract and shall be an "Architect" or a "Quantity Surveyor" registered under the Architects and Quantity Surveyors Act Cap 525 or an "Engineer" registered under Engineers Registration Act Cap 530.
- "Site" is the area defined as such in the Appendix to Condition of Contract.
- "Site Investigation Reports" are those reports that may be included in the tendering documents which are factual and interpretative about the surface and subsurface conditions at the Site.
- "Specifications" means the Specifications of the Works included in the Contract and any modification or addition made or approved by the Project Manager.
- "Start Date" is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with the Site possession date(s).
- "A Subcontractor" is a person or corporate body who has a Contract with the Contractor to carry out a part of the Work in the Contract, which includes Work on the Site.
- "Temporary works" are works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.
- "A Variation" is an instruction given by the Project Manager which varies the Works.
- "The Works" are what the Contract requires the Contractor to construct, install, and turnover to the Employer, as defined in the Appendix to Conditions of Contract.

2. Interpretation

2.1 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning in English Language unless specifically defined. The Project Manager will provide instructions clarifying queries about these Conditions of Contract.

- 2.2 If sectional completion is specified in the Appendix to Conditions of Contract, reference in the Conditions of Contract to the Works, the Completion Date and the Intended Completion Date apply to any section of the Works (other than references to the Intended Completion Date for the whole of the Works).
- 2.3 The following documents shall constitute the Contract documents and shall be interpreted in the following order of priority;
 - (1) Agreement,
 - (2) Letter of Acceptance,
 - (3) Contractor's Tender,
 - (4) Appendix to Conditions of Contract,
 - (5) Conditions of Contract,
 - (6) Specifications,
 - (7) Drawings,
 - (8) Bill of Quantities,
 - (9) Any other documents listed in the Appendix to Conditions of Contract as forming part of the Contract.

Immediately after the execution of the Contract, the Project Manager shall furnish both the Employer and the Contractor with two copies each of all the Contract documents. Further, as and when necessary the Project Manager shall furnish the Contractor [always with a copy to the Employer] with three [3] copies of such further drawings or details or descriptive schedules as are reasonably necessary either to explain or amplify the Contract drawings or to enable the Contractor to carry out and complete the Works in accordance with these Conditions.

3. Language and Law

3.1 Language of the Contract and the law governing the Contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

4 Project Manager's Decisions

4.1 Except where otherwise specifically stated, the Project Manager will decide contractual matters between the Employer and the Contractor in the role representing the Employer.

5 Delegation

5.1 The Project Manager may delegate any of his duties and responsibilities to others after notifying the Contractor.

6 Communications

6.1 Communication between parties shall be effective only when in writing. A notice shall be effective only when it is delivered.

7 Subcontracting

7.1 The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Employer in writing. Subcontracting shall not alter the Contractor's obligations.

8 Other Contractors

8.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities etc. as listed in the Appendix to Conditions of Contract and also with the Employer, as per the directions of the Project Manager. The Contractor shall also provide facilities and services for them. The Employer may modify the said List of Other Contractors etc., and shall notify the Contractor of any such modification.

9 Personnel

9.1 The Contractor shall employ the key personnel named in the Qualification Information, to carry out the functions stated in the said Information or other personnel approved by the Project Manager. The Project Manager will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are substantially equal to or better than those of the personnel listed in the Qualification Information. If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the Work in the Contract.

10 Works

10.1 The Contractor shall construct and install the Works in accordance with the Specifications and Drawings. The Works may commence on the Start Date and shall be carried out in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date.

11 Safety and Temporary Works

11.1 The Contractor shall be responsible for the design of temporary works. However before erecting the same, he shall submit his designs including specifications and drawings to the Project Manager and to any other relevant third parties for their approval. No erection of temporary works shall be done until such approvals are obtained.

- 11.2 The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary works and all drawings prepared by the Contractor for the execution of the temporary or permanent Works, shall be subject to prior approval by the Project Manager before they can be used.
- 11.3 The Contractor shall be responsible for the safety of all activities on the Site.

12. Discoveries

12.1 Anything of historical or other interest or of significant value unexpectedly discovered on Site shall be the property of the Employer. The Contractor shall notify the Project Manager of such discoveries and carry out the Project Manager's instructions for dealing with them.

13. Work Program

13.1 Within the time stated in the Appendix to Conditions of Contract, the Contractor shall submit to the Project Manager for approval a program showing the general methods, arrangements, order, and timing for all the activities in the Works. An update of the program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining Work, including any changes to the sequence of the activities.

The Contractor shall submit to the Project Manager for approval an updated program at intervals no longer than the period stated in the Appendix to Conditions of Contract. If the Contractor does not submit an updated program within this period, the Project Manager

may withhold the amount stated in the said Appendix from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue program has been submitted. The Project Manager's approval of the program shall not alter the Contractor's obligations. The Contractor may revise the program and submit it to the Project Manager again at any time. A revised program shall show the effect of Variations and Compensation Events.

14. Possession of Site

14.1 The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the Appendix to Conditions of Contract, the Employer will be deemed to have delayed the start of the relevant activities, and this will be a Compensation Event.

15. Access to Site

15.1 The Contractor shall allow the Project Manager and any other person authorised by the Project Manager, access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

16. Instructions

16.1 The Contractor shall carry out all instructions of the Project Manager which are in accordance with the Contract.

17. Extension or Acceleration of Completion Date

- 17.1 The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a variation is issued which makes it impossible for completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining Work, which would cause the Contractor to incur additional cost. The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager in writing for a decision upon the effect of a Compensation Event or variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay caused by such failure shall not be considered in assessing the new (extended) Completion Date.
- 17.2 No bonus for early completion of the Works shall be paid to the Contractor by the Employer.

18. Management Meetings

18.1 A Contract management meeting shall be held monthly and attended by the Project Manager and the Contractor. Its business shall be to review the plans for the remaining Work and to deal with matters raised in accordance with the early warning procedure. The Project Manager shall record the minutes of management meetings and provide copies of the same to those attending the meeting and the Employer. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

19. Early Warning

- 19.1 The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the Work increase the Contract Price or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.
- 19.2 The Contractor shall cooperate with the Project Manager in making and considering proposals on how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the Work and in carrying out any resulting instructions of the Project Manager.

20. Defects

20.1 The Project Manager shall inspect the Contractor's work and notify the Contractor of any defects that are found. Such inspection shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a defect and to uncover and test any Work that the Project Manager considers may have a defect. Should the defect be found, the cost of uncovering and making good shall be borne by the Contractor, However, if there is no defect found, the cost of

uncovering and making good shall be treated as a variation and added to the Contract Price.

- 20.2 The Project Manager shall give notice to the Contractor of any defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the Appendix to Conditions of Contract. The Defects Liability Period shall be extended for as long as defects remain to be corrected.
- 20.3 Every time notice of a defect is given, the Contractor shall correct the notified defect within the length of time specified by the Project Manager's notice. If the Contractor has not corrected a defect within the time specified in the Project Manager's notice, the Project Manager will assess the cost of having the defect corrected by other parties and such cost shall be treated as a variation and be deducted from the Contract Price.

21. Bills Of Quantities

- 21.1 The Bills of Quantities shall contain items for the construction, installation, testing and commissioning of the Work to be done by the Contractor. The Contractor will be paid for the quantity of the Work done at the rate in the Bills of Quantities for each item.
- 21.2 If the final quantity of the Work done differs from the quantity in the Bills of Quantities for the particular item by more than 25 percent and provided the change exceeds 1 percent of the Initial Contract price, the Project Manager shall adjust the rate to allow for the change.
- 21.3 If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bills of Quantities.

22. Variations

- 22.1 All variations shall be included in updated programs produced by the Contractor.
- 22.2 The Contractor shall provide the Project Manager with a quotation for carrying out the variations when requested to do so. The Project Manager shall assess the quotation, which shall be given within seven days of the request or within any longer period as may be stated by the Project Manager and before the Variation is ordered.
- 22.3 If the work in the variation corresponds with an item description in the Bills of Quantities and if in the opinion of the Project Manager, the quantity of work is not above the limit stated in Clause 21.2 or the timing of its execution does not cause the cost per unit of quantity to change, the rate in the Bills of Quantities shall be used to calculate the value of the variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the variation does not correspond with items in the Bills of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of Work.

- 22.4 If the Contractor's quotation is unreasonable, the Project Manager may order the variation and make a change to the Contract price, which shall be based on the Project Manager's own forecast of the effects of the variation on the Contractor's costs.
- 22.5 If the Project Manager decides that the urgency of varying the Work would prevent a quotation being given and considered without delaying the Work, no quotation shall be given and the variation shall be treated as a Compensation Event.
- 22.6 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.
- When the Program is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast.

23. Payment Certificates, Currency of Payments and Advance Payments

- 23.1 The Contractor shall submit to the Project Manager monthly applications for payment giving sufficient details of the Work done and materials on Site and the amounts which the Contractor considers himself to be entitled to. The Project Manager shall check the monthly application and certify the amount to be paid to the Contractor within 14 days. The value of Work executed and payable shall be determined by the Project Manager.
- 23.2 The value of Work executed shall comprise the value of the quantities of the items in the Bills of Quantities completed; materials delivered on Site, variations and compensation events. Such materials shall become the property of the Employer once the Employer has paid the Contractor for their value. Thereafter, they shall not be removed from Site without the Project Manager's instructions except for use upon the Works.
- 23.3 Payments shall be adjusted for deductions for retention. The Employer shall pay the Contractor the amounts certified by the Project Manager within 30 days of the date of issue of each certificate. If the Employer makes a late payment, the Contractor shall be paid simple interest on the late payment in the next payment. Interest shall be calculated on the basis of number of days delayed at a rate three percentage points above the Central Bank of Kenya's average rate for base lending prevailing as of the first day the payment becomes overdue.
- 23.4 If an amount certified is increased in a later certificate or as a result of an award by an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.

- 23.5 Items of the Works for which no rate or price has been entered in will not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.
- 23.6 The Contract Price shall be stated in Kenya Shillings. All payments to the Contractor shall be made in Kenya Shillings and foreign currency in the proportion indicated in the tender, or agreed prior to the execution of the Contract Agreement and indicated therein. The rate of exchange for the calculation of the amount of foreign currency payment shall be the rate of exchange indicated in the Appendix to Conditions of Contract. If the Contractor indicated foreign currencies for payment other than the currencies of the countries of origin of related goods and services the Employer reserves the right to pay the equivalent at the time of payment in the currencies of the countries of such goods and services. The Employer and the Project Manager shall be notified promptly by the Contractor of an changes in the expected foreign currency requirements of the Contractor during the execution of the Works as indicated in the Schedule of Foreign Currency Requirements and the foreign and local currency portions of the balance of the Contract Price shall then be amended by agreement between Employer and the Contractor in order to reflect appropriately such changes.
- 23.7 In the event that an advance payment is granted, the following shall apply:
 - a) On signature of the Contract, the Contractor shall at his request, and without furnishing proof of expenditure, be entitled to an advance of 10% (ten percent) of the original amount of the Contract. The advance shall not be subject to retention money.
 - b) No advance payment may be made before the Contractor has submitted proof of the establishment of deposit or a directly liable guarantee satisfactory to the Employer in the amount of the advance payment. The guarantee shall be in the same currency as the advance.
 - c) Reimbursement of the lump sum advance shall be made by deductions from the Interim payments and where applicable from the balance owing to the Contractor. Reimbursement shall begin when the amount of the sums due under the Contract reaches 20% of the original amount of the Contract. It shall have been completed by the time 80% of this amount is reached.

The amount to be repaid by way of successive deductions shall be calculated by means of the formula:

$$R = \underline{A(x^{1} - x^{11})} 80 - 20$$

Where:

R = the amount to be reimbursed

A = the amount of the advance which has been granted

X¹ = the amount of proposed cumulative payments as a percentage of the original amount of the Contract. This figure will exceed 20% but not exceed 80%.

- X¹¹ = the amount of the previous cumulative payments as a percentage of the original amount of the Contract. This figure will be below 80% but not less than 20%.
- d) with each reimbursement the counterpart of the directly liable guarantee may be reduced accordingly.

24. Compensation Events

- 24.1 The following issues shall constitute Compensation Events:
 - (a) The Employer does not give access to a part of the Site by the Site Possession Date stated in the Appendix to Conditions of Contract.
 - (b) The Employer modifies the List of Other Contractors, etc., in a way that affects the Work of the Contractor under the Contract.
 - (c) The Project Manager orders a delay or does not issue drawings, specifications or instructions required for execution of the Works on time.
 - (d) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon the Work, which is then found to have no defects.
 - (e) The Project Manager unreasonably does not approve a subcontract to be let.
 - (f) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to tenderers (including the Site investigation reports), from information available publicly and from a visual inspection of the Site.
 - (g) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer or additional work required for safety or other reasons.
 - (h) Other contractors, public authorities, utilities, or the Employer does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
 - (i) The effects on the Contractor of any of the Employer's risks.
 - (j) The Project Manager unreasonably delays issuing a Certificate of Completion.
 - (k) Other compensation events described in the Contract or determined by the Project Manager shall apply.
- 24.2 If a compensation event would cause additional cost or would prevent the Work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.

- As soon as information demonstrating the effect of each compensation event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager will assume that the Contractor will react competently and promptly to the event.
- 24.4 The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor not having given early warning or not having co-operated with the Project Manager.
- 24.5 Prices shall be adjusted for fluctuations in the cost of inputs only if provided for in the Appendix to Conditions of Contract.
- 24.6 The Contractor shall give written notice to the Project Manager of his intention to make a claim within thirty days after the event giving rise to the claim has first arisen. The claim shall be submitted within thirty days thereafter.

Provided always that should the event giving rise to the claim of continuing effect, the Contractor shall submit an interim claim within the said thirty days and a final claim within thirty days of the end of the event giving rise to the claim.

25. Price Adjustment

- 25.1 The Project Manager shall adjust the Contract Price if taxes, duties and other levies are changed between the date 30 days before the submission of tenders for the Contract and the date of Completion. The adjustment shall be the change in the amount of tax payable by the Contractor.
- 25.2 The Contract Price shall be deemed to be based on exchange rates current at the date of tender submission in calculating the cost to the Contractor of materials to be specifically imported (by express provisions in the Contract Bills of Quantities or Specifications) for permanent incorporation in the Works. Unless otherwise stated in the Contract, if at any time during the period of the Contract exchange rates shall be varied and this shall affect the cost to the Contractor of such materials, then the Project Manager shall assess the net difference in the cost of such materials. Any amount from time to time so assessed shall be added to or deducted from the Contract Price, as the case may be.
- 25.3 Unless otherwise stated in the Contract, the Contract Price shall be deemed to have been calculated in the manner set out below and in sub-clauses 25.4 and 25.5 and shall be subject to adjustment in the events specified thereunder;
 - (i) The prices contained in the Contract Bills of Quantities shall be deemed to be based upon the rates of wages and other emoluments and expenses as determined by the Joint Building Council of Kenya (J.B.C.) and set out in the schedule of basic rates issued 30 days before the date for submission of tenders. A copy of the schedule used by the Contractor in his pricing shall be attached in the Appendix to Conditions of Contract.

- (ii) Upon J.B.C. determining that any of the said rates of wages or other emoluments and expenses are increased or decreased, then the Contract Price shall be increased or decreased by the amount assessed by the Project Manager based upon the difference, expressed as a percentage, between the rate set out in the schedule of basic rates issued 30 days before the date for submission of tenders and the rate published by the J.B.C. and applied to the quantum of labour incorporated within the amount of Work remaining to be executed at the date of publication of such increase or decrease.
- (iii) No adjustment shall be made in respect of changes in the rates of wages and other emoluments and expenses which occur after the date of Completion except during such other period as may be granted as an extension of time under clause 17.0 of these Conditions.
- 25.4 The prices contained in the Contract Bills of Quantities shall be deemed to be based upon the basic prices of materials to be permanently incorporated in the Works as determined by the J.B.C. and set out in the schedule of basic rates issued 30 days before the date for submission of tenders. A copy of the schedule used by the Contractor in his pricing shall be attached in the Appendix to Conditions of Contract.
- 25.5 Upon the J.B.C. determining that any of the said basic prices are increased or decreased then the Contract Price shall be increased or decreased by the amount to be assessed by the Project Manager based upon the difference between the price set out in the schedule of basic rates issued 30 days before the date for submission of tenders and the rate published by the J.B.C. and applied to the quantum of the relevant materials which have not been taken into account in arriving at the amount of any interim certificate under clause 23 of these Conditions issued before the date of publication of such increase or decrease.
- 25.6 No adjustment shall be made in respect of changes in basic prices of materials which occur after the date for Completion except during such other period as may be granted as an extension of time under clause 17.0 of these Conditions.
- 25.7 The provisions of sub-clause 25.1 to 25.2 herein shall not apply in respect of any materials included in the schedule of basic rates.

26. Retention

26.1 The Employer shall retain from each payment due to the Contractor the proportion stated in the Appendix to Conditions of Contract until Completion of the whole of the Works. On Completion of the whole of the Works, half the total amount retained shall be repaid to the Contractor and the remaining half when the Defects Liability Period has passed and the Project Manager has certified that all defects notified to the Contractor before the end of this period have been corrected.

27. Liquidated Damages

27.1 The Contractor shall pay liquidated damages to the Employer at the rate stated in the Appendix to Conditions of Contract for each day that the actual Completion Date is

later than the Intended Completion Date. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not alter the Contractor's liabilities.

27.2 If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rate specified in Clause 23.30

28. Securities

28.1 The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a reputable bank acceptable to the Employer, and denominated in Kenya Shillings. The Performance Security shall be valid until a date 30 days beyond the date of issue of the Certificate of Completion.

29. Dayworks

- 29.1 If applicable, the Dayworks rates in the Contractor's tender shall be used for small additional amounts of Work only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.
- 29.2 All work to be paid for as Dayworks shall be recorded by the Contractor on Forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the Work being done.
- 29.3 The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms.

30. Liability and Insurance

- 30.1 From the Start Date until the Defects Correction Certificate has been issued, the following are the Employer's risks:
 - (a) The risk of personal injury, death or loss of or damage to property (excluding the Works, Plant, Materials and Equipment), which are due to;
 - (i) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works, or
 - (ii) negligence, breach of statutory duty or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor.
 - (b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Employer or in Employer's design, or due

to war or radioactive contamination directly affecting the place where the Works are being executed.

- From the Completion Date until the Defects Correction Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is the Employer's risk except loss or damage due to;
 - (a) a defect which existed on or before the Completion Date.
 - (b) an event occurring before the Completion Date, which was not itself the Employer's risk
 - (c) the activities of the Contractor on the Site after the Completion Date.
- 30.3 From the Start Date until the Defects Correction Certificate has been issued, the risks of personal injury, death and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Employer's risk are Contractor's risks.

The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts stated in the Appendix to Conditions of Contract for the following events;

- (a) loss of or damage to the Works, Plant, and Materials;
- (b) loss of or damage to Equipment;
- (c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract, and
- (d) personal injury or death.
- 30.4 Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation required to rectify the loss or damage incurred.
- 30.5 If the Contractor does not provide any of the policies and certificates required, the Employer may effect the insurance which the Contractor should have provided and recover the premiums from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.
- 30.6 Alterations to the terms of insurance shall not be made without the approval of the Project Manager. Both parties shall comply with any conditions of insurance policies.

31. Completion and taking over

31.1 Upon deciding that the Works are complete, the Contractor shall issue a written request to the Project Manager to issue a Certificate of Completion of the Works. The Employer shall take over the Site and the Works within seven [7] days of the Project Manager's issuing a Certificate of Completion.

32. Final Account

32.1 The Contractor shall issue the Project Manager with a detailed account of the total amount that the Contractor considers payable to him by the Employer under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 30 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 30 days a schedule that states the scope of the corrections or additions that are necessary. If the final account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a Payment Certificate. The Employer shall pay the Contractor the amount due in the Final Certificate within 60 days.

33. Termination

- 33.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract. These fundamental breaches of Contract shall include, but shall not be limited to, the following;
 - (a) the Contractor stops work for 30 days when no stoppage of work is shown on the current program and the stoppage has not been authorized by the Project Manager;
 - (b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 30 days;
 - (c) the Contractor is declared bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
 - (d) a payment certified by the Project Manager is not paid by the Employer to the Contractor within 30 days (for Interim Certificate) or 60 days (for Final Certificate) of issue.
 - (e) the Project Manager gives notice that failure to correct a particular defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;
 - (f) the Contractor does not maintain a security, which is required.
- 33.2 When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under Clause 33.1 above, the Project Manager shall decide whether the breach is fundamental or not.
- 33.3 Notwithstanding the above, the Employer may terminate the Contract for convenience.
- 33.4 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible. The Project Manager shall immediately thereafter arrange for a meeting for the purpose of taking

record of the Works executed and materials, goods, equipment and temporary buildings on Site.

34. Payment Upon Termination

- 34.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the Work done and materials ordered and delivered to Site up to the date of the issue of the certificate. Additional liquidated damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be a debt payable by the Contractor.
- 34.2 If the Contract is terminated for the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Project Manager shall issue a certificate for the value of the Work done, materials ordered, the reasonable cost of removal of equipment, repatriation of the Contractor's personnel employed solely on the
 - Works, and the Contractor's costs of protecting and securing the Works.
- 34.3 The Employer may employ and pay other persons to carry out and complete the Works and to rectify any defects and may enter upon the Works and use all materials on the Site, plant, equipment and temporary works.
- 34.4 The Contractor shall, during the execution or after the completion of the Works under this clause remove from the Site as and when required, within such reasonable time as the Project Manager may in writing specify, any temporary buildings, plant, machinery, appliances, goods or materials belonging to or hired by him, and in default the Employer may (without being responsible for any loss or damage) remove and sell any such property of the Contractor, holding the proceeds less all costs incurred to the credit of the Contractor.

Until after completion of the Works under this clause the Employer shall not be bound by any other provision of this Contract to make any payment to the Contractor, but upon such completion as aforesaid and the verification within a reasonable time of the accounts therefore the Project Manager shall certify the amount of expenses properly incurred by the Employer and, if such amount added to the money paid to the Contractor before such determination exceeds the total amount which would have been payable on due completion in accordance with this Contract the difference shall be a debt payable to the Employer by the Contractor; and if the said amount added to the said money be less than the said total amount, the difference shall be a debt payable by the Employer to the Contractor.

35. Release from Performance

35.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop Work as quickly as possible after receiving this certificate and shall be paid for all Work carried out before receiving it.

36. Corrupt gifts and payments of commission

The Contractor shall not;

(a) Offer or give or agree to give to any person in the service of the

Employer any gift or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other Contract for the Employer or for showing or forbearing to show favour

or disfavour to any person in relation to this or any other contract for the Employer.

(b) Enter into this or any other contract with the Employer in connection with which commission has been paid or agreed to be paid by him or on his behalf or to his knowledge, unless before the Contract is made particulars of any such commission and of the terms and conditions of any agreement for the payment thereof have been disclosed in writing to the Employer.

Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the provisions of the Public Procurement Regulations issued under The Exchequer and Audit Act Cap 412 of the Laws of Kenya.

37. Settlement Of Disputes

- 37.1 In case any dispute or difference shall arise between the Employer or the Project Manager on his behalf and the Contractor, either during the progress or after the completion or termination of the Works, such dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed by the Chairman or Vice Chairman of any of the following professional institutions;
 - (i) Architectural Association of Kenya
 - (ii) Institute of Quantity Surveyors of Kenya
 - (iii) Association of Consulting Engineers of Kenya
 - (iv) Chartered Institute of Arbitrators (Kenya Branch)
 - (v) Institution of Engineers of Kenya

On the request of the applying party. The institution written to first by the aggrieved party shall take precedence over all other institutions.

37.2 The arbitration may be on the construction of this Contract or on any matter or thing of whatsoever nature arising thereunder or in connection therewith, including any matter or thing left by this Contract to the discretion of the Project Manager, or the withholding by the Project Manager of any certificate to which the Contractor may

claim to be entitled to or the measurement and valuation referred to in clause 23.0 of these conditions, or the rights and liabilities of the parties subsequent to the termination of Contract.

- 37.3 Provided that no arbitration proceedings shall be commenced on any dispute or difference where notice of a dispute or difference has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 37.4 Notwithstanding the issue of a notice as stated above, the arbitration of such a dispute or difference shall not commence unless an attempt has in the first instance been made by the parties to settle such dispute or difference amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 37.5 Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:
 - 37.5.1 The appointment of a replacement Project Manager upon the said person ceasing to act.
 - 37.5.2 Whether or not the issue of an instruction by the Project Manager is empowered by these Conditions.
 - 37.5.3 Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
 - 37.5.4 Any dispute or difference arising in respect of war risks or war damage.
- 37.6 All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Employer and the Contractor agree otherwise in writing.
- 37.7 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any certificate.
- 37.8 The Arbitrator shall, without prejudice to the generality of his powers,
 - have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision requirement or notice had been given.
- 37.9 The award of such Arbitrator shall be final and binding upon the parties.

SECTION IV PART A: APPENDIX TO CONDITIONS OF CONTRACT

| Conditions of Contract Reference | Particulars of appendix to Conditions of Contract |
|-------------------------------------|--|
| | Definitions |
| Clause 1.1 | The Employer is;- Name; COUNTY GOVERNMENT OF ISIOLO |
| | Address: P.O. Box 36-60300 ISIOLO Name of Authorized Representative: CECM - FINANCE, COUNTY GOVERNMENT OF ISIOLO Telephone: |
| Clause 1.1 | The Project Manager is;- Name: COUNTY WORKS OFFICER, DEPARTMENT OF PUBLIC WORKS |
| | Address: P.O. Box 38-60300, ISIOLO Telephone: |
| Clause 1.1 | The name (and identification number) of the Contract is;- PROPOSED CONSTRUCTION OF DISPENSARY AT RIGA. |
| | TENDER NO: ICG/EQ/DISP/02/2024 |
| | The works to be carried out under this contract comprises Erection and Completion of single storey dispensary block,pit latrine, placenta pit and incinerator. |
| Clause 1.1 | The Start Date shall be : AGREED WITH THE PROJECT MANAGER |
| Clause 1.1 | The Site is located at RIGA LOCATION, CHERAB WARD, ISIOLO COUNTY. |
| | Interpretation |
| Clause 2.3 | The following documents also form part of the Contract: Documents listed in clause 2.3 conditions of contract |
| | Other Contractors |
| Clause 8.1 | Other Contractors, utilities etc., to be engaged by the Employer on the Site include those for the execution of; ELECTRICAL WORKS |
| | Work Program |
| Clause 13.1 | The Contractor shall submit a revised program for the Works within Seven (7No) days of delivery of the Letter of Acceptance |
| Clause 13.1 | The period between Program updates is thirty (30No) days. |
| Clause 13.1 | The amount to be withheld for late submission of an updated Program is |

| | WHOLE CERTIFICATE |
|-------------|--|
| | Possession of Site |
| Clause 14.1 | The Site Possession Date shall be AGREED WITH THE PROJECT MANAGER. |
| | Bills of Quantities |
| Clause 21.2 | The schedule of basic rates used in pricing by the Contractor is as attached [Contractor to attach]. NOT APPLICABLE |
| Pay | ment Certificates, Currency of Payments and Advance Payments |
| Clause 23.6 | The Contract Price shall be stated in Kenya Shillings. The rate of exchange for calculation of foreign currency payments is NOT APPLICABLE |
| Clause 23.7 | Advance Payment shall not be granted. |
| | Compensation Events |
| Clause 24.1 | The following events shall also be Compensation Events: Those listed in the conditions of contract. |
| | Price Adjustment |
| Clause 25 | The Price Adjustment Clause (SHALL) apply |
| | Retention |
| Clause 26.1 | The proportion of payments retained is: Ten (10%) percent. The Limit of Retention is: Five (5%) percent. |
| Clause 26.1 | The Defects Liability period is 180 days |
| | Liquidated damages |
| Clause 27 | The liquidated damages for the whole of the Works is Kshs. 5,000.00 (per week or part thereof) |
| | Securities |
| Clause 28.1 | The Performance Security shall be for the following minimum amounts equivalent as a percentage of the Contract Price- Five (5%) percent. |
| | Liability and Insurance |
| Clause 30 | The minimum insurance covers shall be; |
| | The minimum cover for insurance of the Works and of Plant and Materials in respect of the Contractor's faulty design is the entire contract |
| | |

| | 2. The minimum cover for personal injury or death insurance □ For the Contractor's employees is AS PER THE APPLICABLE LAWS IN KENYA |
|-------------|--|
| | Completion and taking over |
| Clause 31.1 | The Intended Completion Date for the whole of the Works shall be: TWENTY FOUR WEEKS (24 WEEKS) |

PART B: MANDATORY REQUIREMENTS

| ITEM | REQUIREMENTS | TENDERER'S RESPONSE |
|------|---|---------------------|
| MR1 | Evidence of company's legal structure (Certificate of incorporations) | |
| | KRA Pin certificate and valid tax compliance certificate | |
| MR3 | Registration with NCA Building works category NCA 8 and above and valid annual practicing license | |
| MR4 | Company profile and duly filled confidential business questionnaire provided in the tender document | |
| MR5 | Form of tender filled correctly | |

TECHNICAL EVALUATION

| T1 | Relevant experienced personnel | |
|-----------|--|--|
| T2 | General experience in business; at least 5 years in existence | |
| Т3 | Relevant past experience in building constructions within respective wards | |

FINANCIAL EVALUATION

| F1 | Correct quotation of all the prices including duties and taxes | |
|----|--|--|
| F2 | Lowest evaluated price | |

SECTION IV - SPECIFICATIONS

(ATTACHED)

SECTION V- DRAWINGS

1. A list of drawings

- i. Architectural Drawingsii. Structural Drawings

(ATTACHED

SECTION VI

BILL OF QUANTITIES (ATTACHED)

SECTION VII – STANDARD FORM

| (i) | Form of Invitation for Tenders |
|--------|---|
| (ii) | Form of Tender |
| (iii) | Letter of Acceptance |
| (iv) | Form of Agreement |
| (v) | Form of Tender Security |
| (vi) | Performance Bank Guarantee |
| (vii) | Bank Guarantee for Advance Payment |
| (viii) | Qualification Information |
| (ix) | Tender Questionnaire |
| (xi) | Confidential Business Questionnaire |
| (x) | Statement of Foreign Currency Requirement |
| (xi) | Details of Sub-Contractors |

FORM OF INVITATION FOR TENDERS

| [date] | |
|--|---|
| | [name of Contractor] [address] |
| Dear Sirs: Reference: | |
| You have been prequalified to tender fo | or the above project. |
| We hereby invite you and other prequestion of the above Contract. | ualified tenderers to submit a tender for the execution and |
| A complete set of tender documents ma | y be purchased by you from |
| [mailing address, | , cable/telex/facsimile numbers]. |
| Upon payment of a non-refundable fee of All tenders must be accompanied by in the form and amount specified in the | number of copies of the same and a security tendering documents, and must be delivered to |
| at or before thereafter, in the presence of tenderers': | (time and date). Tenders will be opened immediately representatives who choose to attend. |
| Please confirm receipt of this letter imm | nediately in writing by cable/facsimile or telex. |
| Yours faithfully, | |
| | Authorised Signature |
| | Name and Title |

FORM OF TENDER

| TO: |): | _[Name of Employer) _ [Name of Contract] | [Date] | |
|-----|---|--|--|-----------------------------|
| Dea | ar Sir, | | | |
| 1. | In accordance with the Co Quantities for the executio construct, install and comple Kshs | on of the above named ete such Works and re- [Amount | d Works, we, the undersi medy any defects therein f | gned offer to |
| 2. | We undertake, if our tender is a soon as is reasonably possible and to complete the whole of the Appendix to Conditions of | e after the receipt of the f the Works comprised | e Project Manager's notice | |
| | We agree to abide by this tende binding upon us and may be acce | | | shall remain |
| | Unless and until a formal Agree written acceptance thereof, shall | | | ner with your |
| 5. | We understand that you are not b Dated this | | | ceive. |
| | Signature | in the capacity of | | |
| | | | [Name of | behalf of <i>Bidder]</i> |
| | Witness; Name_ | | | |
| | Address | | | |
| | | | | |
| | | | | |

LETTER OF ACCEPTANCE [letterhead paper of the Employer]

| | [date] |
|------------------------------|---|
| To: | |
| | [name of the Contractor] |
| | [address of the Contractor] |
| Dear Si | ir, |
| for the [name Price Shilling | to notify you that your Tender datedexecution of |
| | re hereby instructed to proceed with the execution of the said Works in accordance with the ct documents. |
| Author | ized Signature |
| Name a | and Title of Signatory |
| Attachi | ment : Agreement |

FORM OF AGREEMENT

| | AGRE | EMENT, made the | day of | 20 |
|------------------------|---------------------------|--|--|--|
| betwe | een | | | of[or whose registered office is |
| | | called "the Employer") of the one | part AND | |
| | | | | of[or whose registered office is |
| situate | ed at] | | | |
| (herei | inafter c | called "the Contractor") of the oth | er part. | |
| WHE | REAS | THE Employer is desirous that the | e Contractor execu | ites |
| (name | e and id | lentification number of Contract) [Place/ | (hereinafter called | "the Works") located rksland the Employer has accepted |
| the te | nder sul | bmitted by the Contractor for the | execution and com | rks]and the Employer has accepted epletion of such Works and the |
| | | f any defects therein for the Contr | | |
| Kshs_ Shilli | nos | [Amoun | t in figures],Kenya | a [Amount in words]. |
| Sillilli | <u>.</u> | | | grimouni in wordsj. |
| NOW | THIS A | AGREEMENT WITNESSETH as | s follows: | |
| 1. | | s Agreement, words and expressioned to them in the Conditions of C | | same meanings as are respectively referred to. |
| 2. | | ollowing documents shall be deen agreement i.e. | ned to form and sh | all be read and construed as part of |
| | (i) | Letter of Acceptance | | |
| | (ii) | Form of Tender | | |
| | (iii) | Conditions of Contract Part I | | |
| | (iv) | Conditions of Contract Part II a | nd Appendix to Co | onditions of Contract |
| | (v) | Specifications | | |
| | (vi) | Drawings | | |
| | (vii) | Priced Bills of Quantities | | |
| 4. | the Co cover therei | nsideration of the payments to be a contractor as hereinafter mentioned nants with the Employer to execut in in conformity in all respects with imployer hereby covenants to pay the | , the Contractor he e and complete the th the provisions o | reby Works and remedy any defects |
| re | emedyir | ration of the execution and comple ng of defects therein, the Contract become payable under the provision | Price or such othe | er sum |
| | | nd in the manner prescribed by the | | |

| IN WITNESS whereof the parties thereto have caused this Agreement to be ex year first before written. | ecuted the day and | | | |
|---|--------------------|--|--|--|
| The common Seal of | | | | |
| Was hereunto affixed in the presence of | | | | |
| Signed Sealed, and Delivered by the said | | | | |
| | | | | |
| Binding Signature of Employer | | | | |
| Witness | | | | |
| Binding Signature of Witness | | | | |
| Binding Signature of Contractor | <u> </u> | | | |
| In the presence of (i) Name | | | | |
| Address | | | | |
| Signature | | | | |

FORM OF TENDER SECURITY

| WHE | REAS | | | | (hereina | fter calle | d "the Te | enderer") | has submi | itted |
|-------------------------|----------------|-----------------------------|--|---|---------------------------------------|-----------------------------|--------------------------|-----------------------------|---------------------------|--------------|
| his | | | | | | | the | constru | action | of |
| | | | | | ••••• | ••••• | | | | |
| at Kshs. Bank | W ALL PEO | (he(h f its successo | ereinafter ereinafter for which pa ors and assi | called called syment we gns by the | "the "the ell and truese presen | Bank Employ uly to be | "), a er") made to | re bo in the the said | ound u sum Employer | of t, the |
| THE (| CONDITION | IS of this o | bligation are | e: | | | | | | |
| 1. | | | the tenderections to tender | | ws his te | nder duri | ng the pe | eriod of te | ender valid | lity |
| 2. | If the tende | | g been notifi llidity: | ed of the | acceptano | ce of his | tender b | y the Em _l | ployer dur | ing |
| | to T (b) fails | Cenderers, in s or refus | to execute f required; o es to furn Tenderers; | r | C | | | | | |
| | demand, w | vithout the Employer | to the Employer will note to | having to hat the an | o substan nount cla | ntiate his imed by | demand | l, provide ue to him | ed that in a, owing to | h his the |
| | _ | | emain in for ny demand | - | | - | • | • | - | |
| | [Da | ite [| | | [signatu | re of the | Bank] | | | |
| | [Wi | tness] | | | | [Seal] | | | | |
| | | | | | | | | | | |

PERFORMANCE BANK GUARANTEE

| To:(Name of Employer)(Date)(Address of Employer) |
|---|
| Dear Sir, |
| WHEREAS(hereinafter called "the Contractor") has undertaken, in pursuance of Contract No dated to execute(hereinafter called "the Works"); |
| AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognised bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract; |
| AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee: |
| NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Contractor, up to a total of Kshs (amount of Guarantee in figures) Kenya Shillings (amount of Guarantee in words), and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of Kenya Shillings (amount of Guarantee in words) as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. |
| We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand. |
| We further agree that no change, addition or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any change, addition, or modification. |
| This guarantee shall be valid until the date of issue of the Certificate of Completion. |
| SIGNATURE AND SEAL OF THE GUARANTOR |
| Name of Bank |
| Address |
| Date |

BANK GUARANTEE FOR ADVANCE PAYMENT

| | [name of Employer] [address of Employer] | (Date) |
|--|--|--|
| Gentl | | |
| emen, | | |
| Ref: | | [name of |
| Contract] | | |
| Contract, We, | the Contractor") so guarantee to guarantee his proper mount of Kshs. ank or financial institution], as in ly to guarantee as primary obliga [name of E ojection on our part and without h | |
| | <u> </u> | [amount of oy the amounts recovered by you |
| or of the Works to be perform made between | liability under this guarantee, and | ation of the terms of the Contract ontract documents which may be oyer] and the Contractor, shall in d we hereby waive notice of any |
| | • | e have received notice in writing has been paid to the Contractor |
| This guarantee shall remain va of the advance payment under | | e of Employer) receives full |
| payment of the same amount f | | Taraba y |
| V. | | |

Yours faithfully,

| Signature and Seal | |
|-----------------------|------------|
| Address | |
| Date | |
| Witness: | Name: |
| | Address: |
| | Signature: |
| | Date: |

OUALIFICATION INFORMATION

1.1

1. Individual Tenderers or Individual Members of Joint Ventures

| Place of registration: | | | |
|--|-----------------------------------|--|--------------------|
| Principal place of bus | siness | | |
| Power of attorney of | signatory of tender | | |
| 1.2 Total annual volume | of construction work pe | erformed in the last five ye | ears |
| 1.3 Work performed as Malast five years. Also list deta completion date. | | s of a similar nature and voor committed, including ex | |
| Project name | Name of client and contact person | Value of performed Contract | Year of completion |
| | | | |
| | | | |
| | | | |
| | | | |

Constitution or legal status of tenderer (attach copy or Incorporation Certificate);

Details of on-going or committed projects, including expected completion date.

| Project name | Name of client and contact person | Value of performed Contract | % Complete | Year of completion |
|--------------|-----------------------------------|-----------------------------------|---------------|--------------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

1.4 Major items of Contractor's Equipment proposed for carrying out the Works. List all information requested below.

| Item of Equipment | Description, Make and age (years) | Condition(new, good, poor) and number available | Owned, leased (from whom?), or to be purchased (from whom?) |
|----------------------|---|---|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

1.5 Qualifications and experience of key personnel proposed for administration and execution of the Contract. Attach biographical data.

| Pos | sition | Name | Years of experience (general) | Years of experience in proposed position |
|-----|--------|---|-------------------------------|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 1.6 | | or the last five years: bala tc. List below and attach | | oss statements, |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 1.7 | | to financial resources to redit, etc. List below and a | | |
| | | | | |
| | | | | |
| | | | | |
| 1.8 | | telephone, telex and facsi ted by the Employer. | mile numbers of banks | that may provide |
| | | | | |

| 1.9 | Statement of compliance with the requirements of Clause 1.2 of the Instructions to Tenderers. |
|------|---|
| | |
| | |
| | |
| | |
| | |
| 1.10 | Proposed program (work method and schedule) for the whole of the Works. |
| | |
| | |
| | |

NAME, ADDRESS AND TELEPHONE, TELEX AND FACSIMILE OF BANKS (This should be for banks that may provide reference if contacted by the employer)

| ADDRESS | TELEPHONE | TELEX | FACSIMILE |
|---------|-----------|-------------------|-------------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| A | ADDRESS | ADDRESS TELEPHONE | ADDRESS TELEPHONE TELEX |

2 Joint Ventures

- 2.4 The information listed in 1.1 1.10 above shall be provided for each partner of the joint venture.
- 2.5 The information required in 1.11 above shall be provided for the joint venture.
- 2.6 Attach the power of attorney of the signatory(ies) of the tender authorizing signature of the tender on behalf of the joint venture
- 2.7 Attach the Agreement among all partners of the joint venture (and which is legally binding on all partners), which shows that:
 - a) all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms;
 - b) one of the partners will be nominated as being in charge, authorized to incur liabilities and receive instructions for and on behalf of any and all partners of the joint venture; and
 - c) the execution of the entire Contract, including payment, shall be done exclusively with the partner in charge.

TENDER OUESTIONNAIRE

| | Please fill in block letters. | |
|----|--|--|
| 1. | Full names of tenderer | |
| | | |
| 2. | Full address of tenderer to which tender been appointed below) | correspondence is to be sent (unless an agent has |
| 3. | Telephone number (s) of tenderer | |
| | | |
| 4. | Telex address of tenderer | |
| | | |
| 5. | Name of tenderer's representative to be period | contacted on matters of the tender during the tender |
| 5. | | any) to receive tender notices. This is essential if |
| | the tenderer does not have his registered | address in Kenya (name, address, telephone, telex) |
| | | |
| | | |
| | | Signature of Tenderer |
| | Make copy and deliver to: | (Name of Employer) |

CONFIDENTIAL BUSINESS QUESTIONNAIRE

You are requested to give the particulars indicated in Part 1 and either Part 2 (a), 2 (b) or 2 (c) and 2 (d) whichever applies to your type of business.

You are advised that it is a serious offence to give false information on this Form.

| Part 1 – General |
|--|
| Business Name |
| Location of business premises; Country/Town |
| Plot No Street/Road |
| Postal Address Tel No |
| Nature of Business |
| Current Trade Licence No Expiring date |
| Maximum value of business which you can handle at any time: K. pound |
| Name of your bankers |
| Branch |
| Part 2 (a) – Sole Proprietor |
| Your name in full |
| Nationality Country of Origin |
| *Citizenship details |
| Part 2 (b) – Partnership |
| Give details of partners as follows: |
| Name in full Nationality Citizenship Details Shares 1 |
| 3 |
| Private or public |
| State the nominal and issued capital of the Company- |
| Nominal Kehe |

| Name in full . | Nationality. | Citizenship Details*. | Shares. |
|--|--|-----------------------|---|
| 1. | | | |
| | | | • |
| | | | |
| 2. | | | |
| | | | ••••• |
| 3. | | | |
| | | | |
| • | | | • |
| | | | |
| 4. | | | |
| 4. | | | |
| 4. | | | |
| 4. Part 2(d) – Inter | rest in the Firm: | | |
| 4. <i>Part 2(d) – Inter</i> Is there any pers | rest in the Firm: | (Nam | ne of Employer) who has inte |
| 4. Part 2(d) – Inter Is there any persthis firm? Yes/N | rest in the Firm: son / persons in | (Nam | ne of Employer) who has inte |
| 4. Part 2(d) – Inter Is there any persthis firm? Yes/N | rest in the Firm: son / persons in | (Nam | ne of Employer) who has inte |
| 4. Part 2(d) – Inter Is there any persthis firm? Yes/N | rest in the Firm: son / persons in Io information given | (Nam | ne of Employer) who has inte |

STATEMENT OF FOREIGN CURRENCY REQUIREMENTS (NOT APPLICABLE)

(See Clause 23] of the Conditions of Contract)

| In the event of our Tender for the execution of |
|--|
| (name of Contract) being accepted, we would require in |
| accordance with Clause 21 of the Conditions of Contract, which is attached hereto, the |
| |
| following percentage: |
| (Figures)(Words) |
| (-8) |
| of the Contract Sum, (Less Fluctuations) to be paid in foreign currency. |
| |
| |
| Currency in which foreign exchange element is required: |
| |
| |
| |
| Date: The |
| |
| Enter 0% (zero percent) if no payment will be made in foreign currency. |
| |
| Maximum foreign currency requirement shall be(percent) of the Contract |
| Sum, less Fluctuations. |
| |
| |
| |
| |
| |
| (Signature of Tenderer) |
| |

DETAILS OF SUB-CONTRACTORS

If the Tenderer wishes to sublet any portions of the Works under any heading, he must give below details of the sub-contractors he intends to employ for each portion.

Failure to comply with this requirement may invalidate the tender.

| Portio | on of Works to be sublet: | |
|--------|---|---|
| [i) | Full name of Sub-contractor and address of head office: | |
| | | |
| (ii) | Sub-contractor's experience of similar works carried out in the last 3 years with | |
| | Contract value: | |
| | | |
| | | |
| Portio | on of Works to sublet: | |
| (i) | Full name of sub-contractor and address of head office: | |
| | | |
| | | |
| (ii) | Sub-contractor's experience of similar works carried out in the last 3 years with | |
| | contract value: | |
| | | |
| | [Signature of Tenderer) | Date |
| | [i) (ii) Portion (i) | and address of head office: (ii) Sub-contractor's experience of similar works carried out in the last 3 years with Contract value: Portion of Works to sublet: (i) Full name of sub-contractor and address of head office: (ii) Sub-contractor's experience of similar works carried out in the last 3 years with |

LETTER OF NOTIFICATION OF AWARD

| | Address of Procuring Entity |
|----|---|
| | |
| | ender No |
| T | ender Name |
| | to notify that the contract/s stated below under the above mentioned tender have been ed to you. |
| 1. | Please acknowledge receipt of this letter of notification signifying your acceptance. |
| 2. | The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter. |
| 3. | You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award. |
| | (FULL PARTICULARS) |

SIGNED FOR ACCOUNTING OFFICER

REPUBLIC OF KENYA

| FOR OFFICIAL USE ONLY |
|---|
| Dated onday of/20 |
| SIGNED(Applicant) |
| 2. etc |
| 1. |
| By this memorandum, the Applicant requests the Board for an order/orders that: - |
| 2. etc. |
| 1. |
| decision on the following grounds, namely:- |
| Procurement Administrative Review Board to review the whole/part of the above mentioned |
| addressFax NoTel. NoEmail, hereby request the Public |
| I/We,the above named Applicant(s), of address: Physical |
| REQUEST FOR REVIEW |
| 20 |
| dated theday of20in the matter of Tender Noof |
| Request for review of the decision of the (Name of the Procuring Entity) of |
| RESPONDENT (Procuring Entity) |
| AND |
| APPLICANT |
| BETWEEN |
| APPLICATION NOOF20 |
| PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD |
| KLI ODLIC OF KLIVIA |

Lodged with the Secretary Public Procurement Administrative Review Board on day of20.......

SIGNED

Board Secretary



| | DDICTAC FREMC OF DDEL IMINA DIEC | |
|---|--|--|
| A | PRICING ITEMS OF PRELIMINARIES | |
| | Prices SHALL BE INSERTED against items of "preliminaries" in the tender's priced Bills of Quantities. | |
| | Please note that the failure to price any item of general particular preliminaries will be construed to mean the tenderer wishes to provide for that item free of charge. | |
| В | VALUE ADDED TAX: OTHER TAXES, DUTIES AND LEVIES INFORCE | |
| | The contractor shall include 16% value added Tax (V.A.T) in his rates any omission in respect thereof shall be treated and connected as an arithmetic error. The contractor shall also allow for 3% withholding tax which should be included within the pricing rates. | |
| C | SCOPE OF CONTRACT | |
| | The works to be carried out under this contract comprise of PROPOSED CONSTRUCTION OF DISPENDARY AT RIGA LOCATION. | |
| D | DESCRIPTION OF THE WORKS | |
| | The works to be carried out under this contract comprises Erection and Completion of Single storey dispensary block and associated electrical and mechanical services. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Carried to | |
| | collection | |

| ITEM | DESCRIPTION | K.SHS |
|------|---|-------|
| Δ | MEASUREMENTS | |
| A | In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT MANAGER. | |
| В | LOCATION OF SITE | |
| | The site for works is located in Riga location, cherab sub-county, Isiolo county. | |
| С | Existing building services | |
| | Special precautions shall be required throughout the contract period to avoid damage to the existing cables, drains and other services. The contractor shall allow for making good and damage arising from his actions during execution of his contract of his own expense. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Carried to collection | |

| ITEM | DESCRIPTIO | K.SHS |
|------|--|-------|
| A | SIGNING OF THE TENDER DOCUMENTS | |
| | The bidder shall append his / her signature and / or company 's rubberstamp on each and every page of tender document. | |
| В | DEMOLITIONS AND ALTERATIONS | |
| | The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager | |
| | The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described. | |
| | Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and carted away from site. | |
| | The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a result of the condition of the item concerned | |
| С | CLEARING AWAY | |
| | The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean and tidy state to the reasonable satisfaction of the Project Manager. | |
| | The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager. | |
| | Carried to | |
| | collection | |

| ITE | DESCRIPTION | K.SHS |
|-----|---|-------|
| | CLAIMS | |
| A | It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and / or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such a claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claim shall be entertained upon the expiry of the said contact period. | |
| | PAYMENTS | |
| В | The tenderer's attention is drawn to the fact that the GOVERNMENT DOES NOT MAKE ADVANCE PAYMENTS but pays for work done and materials delivered to sit: all in accordance with Clause 23 of the Conditions of Contract Agreement. In order to facilitate this, a list of the general component elements for the works is given at the summary page of these specifications and the tenderer is requested to break down his tender sum commensurate to the said elements | |
| | PREVENTION OF ACCIDENT, DAMAGE OR LOSS | |
| С | The Contractor is notified that these works are to be carried out on a restricted site where the client is going on with other normal activities. The Contractor is thus instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss and disruption of activities being carried out by the Client. The Contractor shall allow in his rates any expense he deemed necessary by taking such care within the site. | |
| | WORKING CONDITIONS | |
| D | The Contractor shall allow in his rates for any interference that he may encounter in the course of the works for the Client may in some cases ask the Contractor not to proceed with the works until some activities within the site are completed, as the facility will be operating as usual during the course of the contract. | |
| | SIGNBOARD | |
| Е | Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager. Carried to | |
| | collection | |


| ITEM | DESCRIPTION | K.SHS |
|------|--|-------|
| A | LABOUR CAMPS | |
| | The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract. | |
| В | MATERIALS FROM DEMOLITIONS | |
| | Any materials arising from demolitions and not re-used shall become the property of the client. The Contractor shall allow in his rates the cost of disposing the demolished materials as directed. | |
| С | PRICING RATES | |
| | The tenderer shall include for all costs in executing the whole of the works, including transport, replacing damaged items, fixing, all to comply with the said Conditions of Contract. | |
| D | SECURITY | |
| | The Contractor shall allow for providing adequate security for the works and the workers in the course of execution of this contract. No claim will be entertained from the Contractor for not maintaining adequate security for both the works and workers. | |
| E | URGENCY OF THE WORKS | |
| | The Contractor is notified that these "works are urgent" and should be completed within the period stated in these Particular Preliminaries. | |
| | The Contractor shall allow in his rates for any costs he/ she deems that he/she may incur by having to complete these works within the stipulated contract period. | |
| F | PAYMENT FOR MATERIALS ON SITE | |
| | All materials for incorporation in the works must be stored on site before payment is effected, unless specifically exempted by the Project Manager. This is to include materials of the Contractor, nominated sub-Contractors and nominated suppliers. | |
| | Carried to | |
| | collection | |

| ITEM | DESCRIPTION | K.SHS |
|------|---|-------|
| | EXISTING SERVICES | |
| A | Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concerned for the support, maintenance and protection of such services. | |
| | CONTRACT COMPLETION PERIOD | |
| В | The contract completion period in accordance with condition 31 of the Conditions of contract must be adhered to. | |
| | The 'PROJECT MANAGER' shall strictly monitor the Contractors progress in relation to the progress chart and should it be found necessary the 'PROJECT MANAGER' shall inform the Contractor in writing that his actual performance on site is not satisfactory. In all such cases the Contractor shall accelerate his rate of performance production and progress by all means such as additional labour, plant, e.t.c and working overtime all at his cost. | |
| С | PERFORMANCE BOND | |
| | A bond of 5% of the contract sum will be required in accordance with clause 6.00 (as amended) on award of contract of the Instructions to Tenderer's. No payment on account for the works executed will be made to the contractor until he has submitted the Performance Bond to the Project Manager duly signed, sealed and stamped from an approved Bank. | |
| D | TENDER DOCUMENTS | |
| | Tender documents are as listed in Clause 2.1 of the Instruction to Tenderer's Page STD/9 | |
| Е | DELIVERY OF TENDER | |
| | Tenders and all documents in connection therewith, as specified above must be delivered in the addressed envelope which should be properly sealed and deposited at the offices as specified in the letter accompanying these documents or as indicated in the advertisement. | |
| | Carried to | |

| ITEM | DESCRIPTION | K.SHS |
|------|---|-------|
| | Tenders will be opened at the time specified in the letter accompanying these Tender Documents or as indicated in the advertisement. Tenders delivered/received later than the above time will not be opened. | |
| | VALUE ADDED TAX | |
| A | The Contractor's attention is drawn to the Legal Notice in the Finance Act part | |
| | 3 Section 21(b) operative from 1 st September, 1993 which requires payment of VAT on all contracts. The Contractor should therefore include allowance in his rates and prices for prices for VAT and any other Government taxes currently in force. | |
| | The tenderer is advised that in accordance with the Finance Act 2014 withholding VAT tax was reintroduced at a rate of 6% with effect from 19th September, 2014 | |
| | EXISTING BUILDING MATERIALS | |
| В | NOTE: Any materials found usable for the works shall be given to the contractor on creidit with the approval of the client | |
| | FORM OF CONTRACT | |
| С | The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works and its regulations included herein The Conditions of Contract are also included herein Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities | |
| | Carried to | |
| | collection | |

| ITEM | | DESCRIPTION | kshs |
|------|---|--|------|
| A | PARTICULARS OF INSERT TO CONTRACT AGREEME | | |
| | The following are the insertions Agreement: - | to be made in the appendix to the Contract | |
| | Period of Final Measurement | As Soon as works is certified | |
| | Defects Liability Period | 6 Months from Practical completion | |
| | Date of Possession | To be agreed with the Project Manager | |
| | Date for Completion | 24 Weeks from date of Possession | |
| | Liquidated and Ascertained | At the rate of Kshs 15,000.00 per week or part thereof: | |
| | Prime cost sums for which | | |
| | tender | The Contractor desires to | |
| | Period of Interim Certificates | Monthly | |
| | Period of Honouring Certificate | es 30 days | |
| | Percentage of Certified Value R | etained 10% | |
| | Limit of Retention Fund | 5% | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | Ca | rried to Collection | |
| | | - | |

| ITEM | DESCRIPTION | K.SHS |
|------|--|-------|
| | | |
| | COLLECTION | |
| | Brought forward from page PP/1 | |
| | Brought forward from page PP/2 | |
| | Brought forward from page PP/3 | |
| | Brought forward from page PP/4 | |
| | Brought forward from page PP/5 | |
| | Brought forward from page PP/6 | |
| | Brought forward from page PP/7 | |
| | Brought forward from page PP/8 | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| TO | OTAL FOR PARTICULAR PRELIMINARIES CARRIED TO MAIN SUMMARY | |



| ITE M | | DESCRIPTIO | KSHS |
|----------|--|--|------|
| A | Prices will be Contractor' Bills of Quarter Contractor various items complying with e works in | tor shall be deemed to have included in his prices or rates for the s in the Bills of Quantities or Specification for all costs involved in with all the requirements for the proper execution of the whole of the Contract. | |
| В | _ | these Bills, units of measurement and terms are abbreviated and repreted as follows:- | |
| | С.М. | Shall mean cubic metre | |
| | S.M. | Shall mean square metre | |
| | L.M. | Shall mean linear metre | |
| | MM | Shall mean Millimetre | |
| | Kg. | Shall mean Kilogramme | |
| | No. | Shall mean Number | |
| | Prs. | Shall mean Pairs | |
| | B.S. by the Britis | Shall mean the British Standard Specification Published sh Standards Institution, 2 Park Street, London W.I., England. | |
| | | mean the whole of the preceding description except as d in the description in which it occurs. | |
| | m.s. | Shall mean measured separately. | |
| | a.b.d | Shall mean as before described. | |
| | | Carried to collection | |

| ITE | DESCRIPTION | KSHS |
|-----|--|------|
| | EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT | |
| A | Attendance; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:- | |
| | Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub-Contractors' work and being responsible for the accuracy of the same. | |
| | Fix Only:- | |
| | "Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated),pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only. | |
| | FORM OF CONTRACT | |
| В | The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works (2006 Edition) included herein | |
| | The Conditions of Contract are also included herein | |
| | Conditions of Contract | |
| | These are numbered from 1 to 37 as set out in pages 18 to 37 of these tender documents. | |
| | Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities | |
| | Carried to collection | |

| ITEM | DESCRIPTION | KSHS |
|------|--|------|
| | PLANT, TOOLS AND VEHICLES | |
| A | Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work. | |
| | TRANSPORT. | |
| В | Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities. | |
| | MATERIALS AND WORKMANSHIP. | |
| С | All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials. | |
| | SIGN FOR MATERIALS SUPPLIED. | |
| D | The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER | |
| | STORAGE OF MATERIALS | |
| E | The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use. | |
| | Carried to collection | |

| ITEM | DESCRIPTION | KSHS |
|------|--|------|
| | SAMPLES | |
| A | The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Lands, Housing and Urban Development (State Department of Public Works). | |
| | The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work. | |
| | GOVERNMENT ACTS REGARDING WORK, PEOPLE ETC. | |
| В | Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople. The Contractor must make himself fully acquainted with current Acts including Police Regulations regarding the movement, housing, security and control of and Regulations, labour, labour camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained. | |
| | Carried to collection | |

| ITEM | DESCRIPTION | KSHS |
|------|---|------|
| A | SECURITY OF WORKS ETC. The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public. | |
| В | PUBLIC AND PRIVATE ROADS. | |
| | Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER | |
| C | EXISTING PROPERTY. | |
| | The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER | |
| D | VISIT SITE AND EXAMINE DRAWINGS. | |
| | The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which may affect his tender. No claim arising from his failure to comply with this recommendation will be considered. | |
| E | ACCESS TO SITE AND TEMPORARY ROADS. | |
| L | Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads (approximately 70 Metres long) for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER | |
| | Carried to collection | |
| | | |

| ITEM | DESCRIPTION | KSHS |
|------|--|------|
| A | AREA TO BE OCCUPIED BY THE CONTRACTOR | |
| | The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER | |
| | OFFICE ETC. FOR THE PROJECT MANAGER | |
| В | The Contractor shall provide, erect and maintain where directed on site a properly ventilated lockable office for the consultants, having a minimum floor area of 40 Square Metres complete with furniture (Tables, chairs etc.). Provision shall be made for artificial lighting and cleaning facilities for the duration of the works. Upon completion the Contractor shall dismantle and clear away the office. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from Commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with leveling staff, ranging rods and 50 meter metallic or linen tape. | |
| C | WATER AND ELECTRICITY SUPPLY FOR THE WORKS The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER. The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Subcontractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use. | |
| | Carried to collection | |

| SANITATION OF THE WORKS | |
|---|--|
| The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER | |
| SUPERVISION AND WORKING HOURS | |
| The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract. | |
| PROVISIONAL SUMS. | |
| The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Such sums are net and no addition shall be made to them for profit. | |
| PRIME COST (OR P.C.) SUMS. | |
| The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods as stated in Condition No. 20 of the Conditions of Contract are described herein as Nominated Sub-Contractors. | |
| Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers. | |
| PROTECTIVE CLOTHING | |
| The Contractor shall provide all protective or any other special clothing or equipment for his employees that may be necessary. This shall include, interalia, safety helmets, gloves, goggles, earmuffs, gumboots, overalls, etc., according to the type of work. The Contractor shall ensure that safety helmets are worn by all staff at all times. | |
| Carried to collection | |
| | The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER SUPERVISION AND WORKING HOURS The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract. PROVISIONAL SUMS. The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Such sums are net and no addition shall be made to them for profit. PRIME COST (OR P.C.) SUMS. The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods as stated in Condition No. 20 of the Conditions of Contract are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers. PROTECTIVE CLOTHING The Contractor shall provide all protective or any other special clothing or equipment for his employees that may be necessary. This shall include, interalia, safety helmets, gloves, goggles, earmuffs, gumboots, overalls, etc., according to the type of work. The Contractor shall ensure that safety helmets are worn by all staff at all times. |

| ITEM | DESCRIPTIO | KSHS |
|------|---|------|
| | PROGRESS CHART. | |
| A | The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds. | |
| | ADJUSTMENT OF P.C. SUMS. | |
| В | In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them. Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor. | |
| C | ADJUSTMENT OF PROVISIONAL SUMS. | |
| | In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued as described for Variations in Conditions No. 13 of the Conditions of Contract, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added. | |
| | Carried to collection | |


| NOMINATED SUB-CONTRACTORS | |
|---|--|
| When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts as described in Condition No. 20 of the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance". | |
| DIRECT CONTRACTS | |
| Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed. | |
| ATTENDANCE UPON OTHER TRADESMEN, ETC. | |
| The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills. | |
| Carried to collection | |

| ITEM | DESCRIPTION | KSHS |
|------|--|------|
| A | INSURANCE | |
| | The Contractor shall insure as required in Conditions No 30 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time Ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection. | |
| В | PROVISIONAL WORK | |
| | All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense. | |
| C | ALTERATIONS TO BILLS, PRICING, ETC. | |
| | Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders Sums to cover trades or groups of work must be broken down to show the price of containing Lump each item before they will be accepted. | |
| | Carried to collection | |

| ASTING OPERATIONS | |
|--|---|
| tractor's sole risk and cost in accordance with any Government lations in force for the time being, and any special regulations laid down | |
| erials of any kind obtained from the excavations shall be the property of Government. Unless the PROJECT MANAGER directs otherwise such erials shall be dealt with as provided in the Contract. Such materials shall be used in the works, in substitution of materials which the Contractor ald otherwise have had to supply with the written permission of the OJECT MANAGER Should such permission be given, the Contractor shall the due allowance for the value of the materials so used at a price to be | |
| vide protection of the whole of the works contained in the Bills of intities, including casing, casing up, covering or such other means as may necessary to avoid damage to the satisfaction of the PROJECT MANAGER remove such protection when no longer required and make good any mage which may nevertheless have been done at completion free of cost to | |
| an and flush all gutters, rainwater and waste pipes, manholes and drains, h (except where such treatment might cause damage) and clean all floors, tary fittings, glass inside and outside and any other parts of the works and ove all marks, blemishes, stains and defects from joinery, fittings and orated surfaces generally, polish door furniture and bright parts of alwork and leave the whole of the buildings watertight, clean, perfect and fit | |
| Carried to collection | |
| | NAGER in writing. All blasting operations shall be carried out at the tractor's sole risk and cost in accordance with any Government alations in force for the time being, and any special regulations laid down the PROJECT MANAGER governing the use and storage of explosives. TERIALS ARISING FROM EXCAVATIONS erials of any kind obtained from the excavations shall be the property of Government. Unless the PROJECT MANAGER directs otherwise such erials shall be dealt with as provided in the Contract. Such materials shall be used in the works, in substitution of materials which the Contractor ald otherwise have had to supply with the written permission of the DJECT MANAGER Should such permission be given, the Contractor shall are due allowance for the value of the materials so used at a price to be seed. OTECTION OF THE WORKS. Wide protection of the whole of the works contained in the Bills of antitities, including casing, casing up, covering or such other means as may be excessary to avoid damage to the satisfaction of the PROJECT MANAGER remove such protection when no longer required and make good any large which may nevertheless have been done at completion free of cost to Government. ORKS TO BE DELIVERED UP CLEAN an and flush all gutters, rainwater and waste pipes, manholes and drains, the (except where such treatment might cause damage) and clean all floors, tarry fittings, glass inside and outside and any other parts of the works and ove all marks, blemishes, stains and defects from joinery, fittings and orated surfaces generally, polish door furniture and bright parts of alwork and leave the whole of the buildings watertight, clean, perfect and fit occupation to the approval of the PROJECT MANAGER |

| ITEM | DESCRIPTION | KSHS |
|------|---|------|
| A | GENERAL SPECIFICATION. For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities. | |
| В | TRAINING LEVY | |
| | The Contractor's attention is drawn to the legal notice which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than KShs. 1,000,000.00 in value. | |
| C | MATERIALS ON SITE | |
| | All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers. | |
| D | HOARDING | |
| | The Contractor shall enclose all the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site. | |
| E | CONTRACTOR'S SUPERINTENDENCE/SITE AGENT | |
| | The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract. | |
| | Carried to Collection | |

| ITEM | DESCRIPTION | KSHS |
|------|--|------|
| | COLLECTION | |
| | Brought Forward From Page GP/1 | |
| | Brought Forward From Page GP/2 | |
| | Brought Forward From Page GP/3 | |
| | Brought Forward From Page GP/4 | |
| | Brought Forward From Page GP/5 | |
| | Brought Forward From Page GP/6 | |
| | Brought Forward From Page GP/7 | |
| | Brought Forward From Page GP/8 | |
| | Brought Forward From Page GP/9 | |
| | Brought Forward From Page GP/10 | |
| | Brought Forward From Page GP/11 | |
| | Brought Forward From Page GP/12 | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | TOTAL FOR GENERAL PRELIMINARIES CARRIED TO BILL MAIN SUMMARY | |



PREAMBLES AND PRICING NOTES

A. **GENERALLY**

All work to be carried out in accordance with the Ministry of Roads, Public Works and Housing General Specifications for Building Works issued in 1976 or as qualified or amended.

B. MANUFACTURERS' NAMES

Where manufacturers' names and catalogue references are given for guidance to quality and standard only, alternative manufacturer of equal quality will be accepted at the discretion of the Project Manager.

C. WALLING

Walling of 150 mm thickness or under shall be reinforced with hoop iron every alternate course.

D. <u>CARPENTRY</u>

The grading rules for cypress shall be the same as for all timber used for structural work shall be select (second grade).

All structural timber must conform to the minimum requirements for moisture content and preservative treatment and timber prices must allow for preparing, packing and sending samples for testing when required.

Prices must also include for all nails and fasteners

E. **JOINERY**

Cypress for joinery shall be second grade in accordance with the latest grading rules of the Kenya Government.

Where Mahogany is specified, this refers to prime grade only. The Contractor may with the approval of the Project Manager, alternatives in lieu of Mahogany but such approval will be given only in the case of shortages of the hardwoods specified.

Plugging shall be carried out by drilling walling or concrete with masonry drill and filling with propriety plugs of the correct sizes. Cutting with hammer and chisel will not be allowed.

Prices for joinery must include for pencil rounded arises, protection against damage, nails, screws, framing and bedding in cement mortar as required.

Sizes given for joinery items are nominal sizes and exact dimensions of doors, etc, must be ascertained on site.

F. **IRONMONGERY**

Ironmongery shall be as specified in the Bills of Quantities or equal and approved.

Prices must include for removing and re-fixing during and after painting, labeling all keys, and for fixing to hardwood, softwood, concrete or block work.

Catalogue references given for ironmongery are for purposes of indicating quality and size of item(s). Should the Contractor wish to substitute the specified item(s) with others of equal quality, he must inform the Project Manager and obtain approval in writing.

G. STRUCTURAL STEELWORK

a. All structural steelwork shall comply with "Structural Steelwork Specifications (1973) and shall be executed by an approved Subcontractor.

H. PLASTERWORK AND OTHER FINISHES


- a. All finishing shall be as described in the general specifications and in these Bills of Quantities.
- b. Prices for pavings are to include for brushing concrete clean, wetting and coating with cement and sand grout 1:1.
- c. Rates for glazed wall tiling are to include for a 12 mm cement and sand (1:4) backing screed unless otherwise specified in these Bills of Quantities.


I. GLAZING

- a. Where polished plate glass is specified, this refers to general glazing quality.
- b. Prices for glazing shall include for priming of rebates before placing putty.
- c. The Contractor will be responsible for replacing any broken or scratched glass and handing over in perfect condition.

J. PAINTING

- a. All paint shall be $1^{\mbox{st}}$ quality "Crown" or other equal and approved
- b. Painting shall be applied in accordance with the manufacturers' Instructions.
- c. Prices for painting are to include for scaffolding, preparatory work, priming coats, protection of other works and for cleaning up on completion. Prices for painting on galvanized metal are to include for mordant solution as necessary





| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | ELEMENT NO. 1 | | | | |
| | SUBSTRUCTURES (ALL PROVISIONAL) Site clearance | | | | |
| A | Clear the site off grass, shrubs and all vegetation; cart away as directed | 153 | SM | | |
| | Excavations and earth works | | | | |
| В | Excavate vegetable soil average 200mm deep to remove vegetable soil and reduce levels and cart away as directed | 153 | SM | | |
| С | Excavate for strip foundation starting from reduced level not exceeding 1.50 meters deep and cart away as directed | 52 | CM | | |
| D | Extra over excavation for excavating in rock. For any class type | 16 | СМ | | |
| | Disposal | | | | |
| Е | Return, fill-in and rum selected excavated material around the foundation | 22 | СМ | | |
| F | | 30 | CM | | |
| G | Remove and cart away from site surplus excavated material as directed <u>Diposal of water</u> Allow for Keeping all excavations free from all water including spring or running water by pumping ,bailing or other approved means <u>Planking and strutting</u> | | ITEM | | |
| н | Allow for Planking and Strutting to sides of all excavations | | ITEM | | |
| | Hard core Filling as described. | | | | |
| I | Imported hardcore filling including depositing levelling and compacting in layers of 150mm maximum thickness. | 28 | СМ | | |
| J | 50mm thick Quarry dust blinding to surfaces of hardcore :rolled smooth to receive polythene sheeting (m.s) | 110 | SM | | |
| | Antitermite treatment | | | | |
| К | PREMISE 200CC' or other equal and approved insecticide with a ten-years guarantee to surfaces of fill and tops of foundations | 127 | SM | | |
| | Carried to collection | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| А | Damp proofing 1000 gauge polythene or other equal and approved plastic sheeet damp proof memebrane laid over blinding (measured nett- allo for laps) | 127 | SM | | |
| В | Mass concrete (1.3.6/38-38 mm aggregate) 50mm thick mass concrete class Q (1:3:6) to bottoms of foundations | 52 | SM | | |
| | Vibrated reinforced conctrete ; 1:2:4/ 20-20mm);as decribed in | | | | |
| С | Foundations in trenches irrespective of thickness | 10 | CM | | |
| D | 150mm thick bed | 127 | SM | | |
| | Reinforcement | | | | |
| | Supply and fix hars Reinforcement including bending ,hooks,tying wire,cutting spacersand supporting all in position as described | | | | |
| | High Deformed bars to B.S. 4461 | | | | |
| Е | D10 Bars | 174 | KG | | |
| F | D8 Bars | 110 | KG | | |
| | Mesh reinforcement; B.S. 4483 | | | | |
| G | Reference A142 mesh 200 x 200 mm , weight 2.22 kgs per square meter (measured net - no allowance made for laps(inclunding bends, tying wire and distance blocks | 127 | SM | | |
| | Sawn formwork to insitu concrete as described:- | | | | |
| н | Edges of ground floor slab; 75 to 150mm wide Foundation Walling | 49 | LM | | |
| I | 200mm thick approved local natural stone; roughly squared to foundation walling; bedding and jointing in cement sand (1:3) mortar and reinforced with and including 20swg x 25 mm wid hoopiron in every alternate course | 65 | SM | | |
| J | Paving Slabs. 600 x 600 x 50 mm Precast concrete class 20/20 paving slabs, laid to falls on blinded hardcore surface and jointed in cement and sand (1:3) mortar Carried to collection | 30 | SM | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|---------|------|------|--------|
| Α | Insitu finishings 14mm thick 2 No. coatwork cement sand (1:3) render; wood floated to concrete or blockwork base to walls; external | 17 | SM | | |
| В | Prepare and apply three coats black bituminous paint on:- Rendered plinths, externally. | 17 | SM | | |
| | Carried to collection | | | | |
| | COLLECTION | | | | |
| | From page RD/1 | | | | |
| | From page RD/2 | | | | |
| | From page RD/3 (Above) | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL FOR SUBSTRUCTURES CARRIED | TO SUMM | ARY | | |

| ELEMENT NO. 2 FRAME Insitu concrete; reinforced; class 20/20 (20mm aggregate); vibrated A Beams 3 CM 12 SM 100mm Bench Reinforcement (all provisional) Bars; high vield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter C Assorted sizes; 8 - 12mm diameter 450 KG D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- E To sides and soffits of beams. 35 SM F Soffits of workshop 12 SM | Insitu concrete; reinforced; class 20/20 (20mm aggregate); vibrated A Beams 3 CM B 100mm Bench Reinforcement (all provisional) Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter C Assorted sizes; 8 - 12mm diameter 450 KG D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- | Т | AMOUNT | RATE | UNIT | QTY | DESCRIPTION | ITEM |
|---|--|---|--------|------|----------|--------|--|------|
| A Beams B 100mm Bench Reinforcement (all provisional) Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter C Assorted sizes; 8 - 12mm diameter 450 KG D A142 Fabric Mesh Reinforcement Sawn formwork to insitu concrete as described:- E To sides and soffits of beams. 3 CM 12 SM 12 SM | A Beams 3 CM B 100mm Bench 12 SM Reinforcement (all provisional) Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter C Assorted sizes; 8 - 12mm diameter 450 KG D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- | | | | | | FRAME Insitu concrete; reinforced; class 20/20 (20mm | |
| B 100mm Bench Reinforcement (all provisional) Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter C Assorted sizes; 8 - 12mm diameter 450 KG D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- E To sides and soffits of beams. 35 SM | B 100mm Bench Reinforcement (all provisional) Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter C Assorted sizes; 8 - 12mm diameter 450 KG D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- | | | | . | | | |
| 100mm Bench Reinforcement (all provisional) Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter C Assorted sizes; 8 - 12mm diameter 450 KG D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- E To sides and soffits of beams. 35 SM | Reinforcement (all provisional) Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter | | | | | | Beams | |
| Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter C Assorted sizes; 8 - 12mm diameter 450 KG D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- E To sides and soffits of beams. 35 SM | Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter C Assorted sizes; 8 - 12mm diameter 450 KG D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- | | | | 3/41 | 12 | 100mm Bench | |
| D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- E To sides and soffits of beams. 35 SM | D A142 Fabric Mesh Reinforcement 12 SM Sawn formwork to insitu concrete as described:- | | | | | | Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance | |
| Sawn formwork to insitu concrete as described:- E To sides and soffits of beams. 35 SM | Sawn formwork to insitu concrete as described:- | | | | KG | 450 | Assorted sizes; 8 - 12mm diameter | С |
| E To sides and soffits of beams. 35 SM | | | | | SM | 12 | A142 Fabric Mesh Reinforcement | D |
| | F To sides and soffits of beams 35 SM | | | | | | Sawn formwork to insitu concrete as described:- | |
| F Soffits of workshop 12 SM | E 10 sides and sorries of bearing. | | | | SM | 35 | To sides and soffits of beams. | E |
| | F Soffits of workshop 12 SM | | | | SM | 12 | Soffits of workshop | F |
| TOTAL FOR FRAME CARRIED TO SUMMARY | TOTAL FOR FRAME CARRIED TO SUMMARY | | | | | UMMARY | TOTAL FOR FRAME CARRIED TO S | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|---------|--------|------|--------|
| | ELEMENT NO. 3 WALLING | | | | |
| | Natural stone walling bedded and jointed in cement and sand (1:3) mortar and reinforced with and including 20 swg x 25 mm wide hoopiron; external | | | | |
| Α | 150 mm thick reinforced in every third course | 101 | SM | | |
| В | Ditto ; Internal | 104 | SM | | |
| С | Extra over horizontal pointing in 10mm thick rod in cement and sand (1:3) mortar to external wall | 101 | SM | | |
| | Horizontal Damp Proof Course:one layer of 3-ply bituminous felt or other equal approved (measured nett-allow for laps) | | | | |
| D | 150mm wide; B.S. 743 Type A bitumen hessian base 150 mm laps (no allowance made for laps); horizontal, 1 no. layer, bedded in cement sand (1:3) mortar | 77 | LM | | |
| | Permanent Ventilation | | | | |
| E | Leave or make hole size 225x225mm through walling for vents | 16 | NO | | |
| F | 225x225x12mm thick precast concrete (1:2:4) vent block lined with mosquito gauze internally including moulding around in cement sand (1:3) mortar | 16 | PAIR | | |
| G | 75mmm diameter steel column 3500mm long fixed to concrete and other end fixed with u clamp to beam | 10 | NO | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL FOR EXTERNAL AND INTERNAL WALLING CAR | RIFD TO | SIMMAR | , | |
| | TOTAL FOR EXTENSIVE AND INTENNAL WALLING CAR | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | ELEMENT NO. 4 | | | | |
| | (All provisional) | | | | |
| | ROOF CONSTRUCTION | | | | |
| | Roofing sheets | | | | |
| A | 30 gauge pre painted box profile roofing sheets fixed on timber purlins (m/s) | 170 | SM | | |
| | Accessories, fixing as necessary to roof sheets | | | | |
| В | 200 × 25mm Ridge Cap | 19 | LM | | |
| С | 225 x 25mm thick facsia and barge boards | 59 | LM | | |
| | CARPENTRY | | | | |
| | The following in sawn celcured cypress timber trusses; | | | | |
| D | 100 x 50mm wall plate fixed to ringbeam with 20 gauge 25 mm wide hoop iron at 1200mm centres | 56 | LM | | |
| Е | 100 x 50mm rafter | 120 | LM | | |
| F | Ditto; tie beam | 95 | LM | | |
| G | 100 x 50mm sawn cypress kingposts | 38 | LM | | |
| Н | Ditto sawn cypress struts and ties | 273 | LM | | |
| I | 75 x 50mm sawn cypress purlins nailed to truss. | 189 | LM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to Collection | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| Α | ELEMENT NO. 5 DOORS External doors Heavy duty section mild steel doors with one coat red lead oxide primer complete Standard mild steel panel double single leaf door and frame overall size 900 x 2100 mm.high double door comprising heavy Z,T and Flat sections,in 10 No. Panel size infilled with and including 3 mm thick plate and 1 no panel size 750 x 250 mm high prepared for glazing including all iron mongery accessories Frame and Finishing | 4 | No | | |
| | Wrot hardwood as described | | | | |
| В | 150 x 50 mm; 2 No. labours; plugged door frame | 6 | LM | | |
| С | 40 x 25 mm weathered architrave | 6 | LM | | |
| D | 25mm rounded quardrant | 6 | LM | | |
| | Timber Doors | | | | |
| E | 50mm thick solid core flush door size 900x2100mm high with mahogany veneer both sides and fanlight | 1 | No. | | |
| | Carried to collection | | | | |
| | | | | | |


| Iron mongery Supply and fix the following to UNION catalogue or other equal and approved | ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|--|------|---|-----|------|------|--------|
| to softwood, hardwood or the like fixing with screws A Three- lever mortice lock complete with set lever brass handle furniture B 100mm steel butt hinges 1 Prs. To concrete or blockwork; fixing with bolts; plugging C Rubber door stop complete with 38 mm rawl bolt 5 No. Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - D General surfaces of doors; internal 8 SM E General surfaces of metal; external Aluminium primer or other equal and approved wood primer before fixing: - F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | | Iron mongery | | | | |
| A Three- lever mortice lock complete with set lever brass handle furniture B 100mm steel butt hinges 1 Prs. To concrete or blockwork; fixing with bolts; plugging C Rubber door stop complete with 38 mm rawl bolt 5 No. Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - D General surfaces of doors; internal 8 SM E General surfaces of metal; external 8 SM Aluminium primer or other equal and approved wood primer before fixing: - F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | | | | | | |
| brass handle furniture B 100mm steel butt hinges To concrete or blockwork; fixing with bolts; plugging C Rubber door stop complete with 38 mm rawl bolt Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - D General surfaces of doors; internal E General surfaces of metal; external Aluminium primer or other equal and approved wood primer before fixing: - F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | | | | | | |
| To concrete or blockwork; fixing with bolts; plugging C Rubber door stop complete with 38 mm rawl bolt Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - D General surfaces of doors; internal E General surfaces of metal; external Aluminium primer or other equal and approved wood primer before fixing: - F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | А | | 1 | No. | | |
| C Rubber door stop complete with 38 mm rawl bolt Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - D General surfaces of doors; internal E General surfaces of metal; external Aluminium primer or other equal and approved wood primer before fixing: - F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | В | 100mm steel butt hinges | 1 | Prs. | | |
| Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - D General surfaces of doors; internal 8 SM E General surfaces of metal; external 8 SM Aluminium primer or other equal and approved wood primer before fixing: - F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | | To concrete or blockwork; fixing with bolts; plugging | | | | |
| Crown Solo or other equal and approved to: - D General surfaces of doors; internal 8 SM E General surfaces of metal; external 8 SM Aluminium primer or other equal and approved wood primer before fixing: - F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | С | Rubber door stop complete with 38 mm rawl bolt | 5 | No. | | |
| E General surfaces of metal; external Aluminium primer or other equal and approved wood primer before fixing: - F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 8 SM 6 LM | | | | | | |
| General surfaces of metal; external Aluminium primer or other equal and approved wood primer before fixing: - F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | D | General surfaces of doors; internal | 8 | SM | | |
| F Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | Е | General surfaces of metal; external | 8 | SM | | |
| Backs of frame, board, etc over 100mm but not exceeding 200mm girth Prepare and apply three coats polyurethane clear varnish on woodwork internally G Frames; 200 to 300mm girth 6 LM | | | | | | |
| G Frames; 200 to 300mm girth 6 LM | F | | 6 | LM | | |
| | | | | | | |
| H Frames not exceeding 100mm girth; internal 6 LM | G | Frames; 200 to 300mm girth | 6 | LM | | |
| | Н | Frames not exceeding 100mm girth; internal | 6 | LM | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| COLLECTION | | | | | | |
| From page RD/8 From page RD/9 | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Carried to collection | | Carried to collection | | 1 | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | ELEMENT NO. 6 WINDOWS | | | | |
| | Supply, assemble and fix the following purposemade mild steel casement windows; standard metal section from approved manufacturer complete with frames, transomes, mullions and with and including permanent ventilators comprising "T" bar, gauze and 16 gauge sheet metal hood 50mm high x 50mm projection to full width of window, coupling mullions, approved ironmongery and one coat manufacturer's primer; all welding ground to smooth finish. | | | | |
| А | Window, overall size 1500 x 1500mm high as per Architect approval. | 8 | No. | | |
| В | Ditto but size 600 x 800mm High | 2 | No. | | |
| | Burglar proofing Mild steel burglar proofing to casement windows fabricated from 12 mm round bars at 125 mm centres horizontally including drilling and securing to position | | | | |
| С | Window, overall size 1500 x 1500mm high as per Architect approval. | 8 | No. | | |
| D | Ditto but size 600 x 800mm High Glazing | 2 | No. | | |
| Е | 4mm Thick clear sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty | 18 | SM | | |
| F | Ditto but obscured | 1 | SM | | |
| G | Window board 150 x 25 mm thick window boards including bull-nosed edges and 25 x 25 mm bearer; plugged, counter sinking and flush pelleting. | 17 | LM | | |
| н | Window cill 125 x 20 mm thick quarry tile cill with one curved edge including bedding and pointing in cement and sand (1:3) mortar | 17 | LM | | |
| I | 20 x 10 mm impregnated sawn cypress timber ground plugged | 17 | LM | | |
| J | CURTAIN ROD 25mm diameter Curtain Rod | 15 | LM | | |
| | Carried to collection | | | | |
| | | | | | |

| Painting and Decorations On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - A General window surfaces 19 SM B Surfaces of metal (burglar proofing grills) 19 SM | |
|---|--|
| On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - A General window surfaces 19 SM B 19 SM | |
| Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: - A General window surfaces 19 SM B 19 SM | |
| A General window surfaces 19 SM 19 SM | |
| B 19 SM | |
| B Surfaces of metal (burglar proofing grills) | |
| | |
| Aluminium primer or other equal and approved wood primer before fixing: - | |
| C Backs of frame, board, etc over 200mm but not exceeding 300mm girth | |
| Prepare and apply three coats polyurethane clear varnish on woodwork internally | |
| D Frames; 200 to 300mm girth 6 LM | |
| | |
| | |
| Carried to Collection | |
| COLLECTION | |
| From page RD/11 | |
| From page RD/13(Above) | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| TOTAL FOR WINDOWS CARRIED TO SUMMARY | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | ELEMENT NO. 7 | | | | |
| | <u>FINISHES</u> | | | | |
| | Wall finishes | | | | |
| | Internal wall | | | | |
| | Plaster; 12mm thick 2 No. coatwork, 9mm first coat of cement sand (1:6); 3mm second coat of cement and lime putty (1:10); steel trowelled toconcrete or blockwork base generally to: - | | | | |
| Α | Walls; beams; internal | 312 | SM | | |
| | Painting and decorations | | | | |
| | Prepare and apply three coats of first quality plastic emulsion paint to: - | | | | |
| В | Plastered walls; beams; columns | 312 | SM | | |
| | Render; 18mm thick, 1 No. coatwork of cement and | | | | |
| | sand (1:3); wood floated to concrete or blockwork base generally to: - | | | | |
| С | Beams; Columns; external | 24 | SM | | |
| | Painting and decorations | | | | |
| | Prepare and apply three coats of first quality plastic emulsion paint to: - | | | | |
| D | Beams; external | 24 | SM | | |
| | Floor finishes | | | | |
| | Beds or Backings | | | | |
| | Screed; cement and sand (1:3) | | | | |
| Е | 32mm thick one coat backings; Trowel smooth | 118 | SM | | |
| F | Ditto to bench | 12 | SM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL CARRIED TO COLLECTION | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|--------|--------------------------------|-----|----------|---------|--------|
| | SUMMARY | | | | |
| ELEMEI | NT NO. TITLE | | PAGE NO. | | AMOUNT |
| 1 | SUBSTRUCTURE (ALL PROVISIONAL) | | | RD/3 | |
| 2 | FRAME | | | RD/4 | |
| 3 | EXTERNAL & INTERNAL WALLING | | | RD/5 | |
| 4 | ROOFING | | | RD/6 | |
| 5 | DOORS | | | RD/8 | |
| 6 | WINDOWS | | | RD/10 | |
| 7 | FINISHES | | | RD / 11 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | PROPOSED VIP LATRINE AT RIGA DISPENSARY - ISIOLO COUNTY | | | | |
| А | ELEMENT NO.1 SUB-STRUCTURES (ALL PROVISIONAL) Clear the site of all bushes, shrub, undergrowth and small trees; grub up roots and cart away or burn all arising debris. | 17 | SM | | |
| | Excavations and earthworks | | | | |
| В | Excavate oversite average 150mm deep to remove vegetable soil load up wheel and deposit about 100metres away and later spread and level on site where directed. | 17 | SM | | |
| С | Excavate for foundation trenches starting from the reduced level in levels not exceeding 1.50 m | 16 | СМ | | |
| D | Ditto Column Bases | 30 | СМ | | |
| | Pit Excavation | | | | |
| E | Bulk Excavation levels not exceeding 1.5m deep commencing from reduced levels | 8 | CM | | |
| F | Ditto over 1.5m deep but not exceeding 3m deep | 8 | СМ | | |
| G | Ditto over 3m deep but not exceeding 4.5m deep | 8 | СМ | | |
| Н | Ditto over 4.5m deep but not exceeding 6m deep | 8 | СМ | | |
| J | Extra Over for rock excavation all classes | 8 | CM | | |
| K | <u>Diposal of water</u> Keeping all excavations free from all water including spring or running water | | ITEM | | |
| L | Planking and strutting Uphold the sides of all excavations | | ITEM | | |
| | TOTAL CARRIED TO COLLECTION | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|--------|--|-----|----------|------|--------|
| | Foundation Walling | | | | |
| А | 200mm thick approved natural stone; local; roughly squared to foundation walling; bedding and jointing in cement sand (1:3) mortar | | | | |
| | Damp proofing | 32 | SM | | |
| В | Polythene sheet; 500 gauge, 200mm welted laps (no allowance made to laps), horizontal; 1 no. layer laid on compacted quarry dust blinding | - | | | |
| | Antitermite treatment | 17 | SM | | |
| С | Premise 200 SC' or other equal and approved anti-termite insecticide treatment with ten years guarantee, applied strictly in accordance with manufacturer's instructions, to tops of fill and foundation walls | | | | |
| | Vibrated reinforced concrete | | | | |
| | (1:2:4/25-20mm aggregate) as described in: | | | | |
| | | 17 | SM | | |
| D E | Ground Beam Columns | 1 2 | CM CM | | |
| F | 100mm Thick Slab | 17 | SM | | |
| | Steel reinforcement Supply and fix bars reinforcement including bending, hooks, tying wires, cutting spacers and supporting all in position as described. High tensile deformed bars to approval; | | | | |
| G | D10 Bars | 127 | KG | | |
| Н | D8 Bars | 69 | KG | | |
| J | BRC A142 mesh 200x200mm,weight 2.22kg/m2 (measured net- no allowance for laps) | 8 | SM | | |
| | Sawn formwork as described to: | | | | |
| K | Edge of floor slab 75-150mm high | 18 | LM | | |
| L | Soffits of floor slab | 5 | SM | | |
| М | Sides of Columns | 36 | SM | | |
| | TOTAL CARRIER TO COLUMN | | | | |
| | TOTAL CARRIED TO COLLECTION | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | COLLECTION | | | | |
| | From page PL / 1 | | | | |
| | From page PL / 2 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL FOR SUB-STRUCTURES CARRIED TO SUMMARY | | | | |


| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | ELEMENT NO.2 FRAME & WALLING | | | | |
| | Insitu concrete; reinforced; class 20 / (20mm); vibrated | | | | |
| Α | Beams | 1 | СМ | | |
| В | Columns | 2 | СМ | | |
| С | 100 mm thick suspended slab | 17 | SM | | |
| | Reinforcement Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks of assorted diameter | | | | |
| D | 8mm- 12 mm diameter; assorted sizes | 729 | KG | | |
| | Sawn formwork to insitu concrete as described:- | | | | |
| E | To sides and soffits of beams. | 10 | SM | | |
| F | Sides of Column | 18 | SM | | |
| G | Soffits of Suspended Slab | 17 | SM | | |
| | WALLING | | | | |
| н | 200mm thick machine cut walling bedded and jointed in cement and sand (1:4) mortar; reinforced with and including 25mm wide hoop iron strap at every at every alternate course. | 32 | SM | | |
| J | Ditto internally | 8 | SM | | |
| K | Extra Over horizontal and vertical pointing in 10mm thick rod in cement and sand (1:3) mortar; one coat of bituminous paint. | 32 | SM | | |
| | TOTAL FOR FRAME AND WALLING CARRIED TO SUMMARY | | • | | |

| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |
|------|---|------|-----|------|--------|
| | ELEMENT NO.3 - DOORS | | | | |
| A | <u>Timber doors</u> 50mm thick semi-solid flush door size 850x2100mm high | 4 | NO | | |
| | Approved wrot cedar in : | | | | |
| В | 100x50mm frames with two labours plugged and screwed to the wall | 21 | LM | | |
| С | 40x 25 mm moulded architrave | 21 | LM | | |
| D | 25mm rounded quadrant | 21 | LM | | |
| | <u>Ironmongery</u> | | | | |
| | Supply and fix the following iron mongery with matching screws as per "union" or other equal and approved catalogue | | | | |
| E | Mild steel clamp one side threaded and screwed to frame and one side fanged and built into wall | 4 | NO | | |
| F | 150mm long butt ordinary hinges | 6 | PRS | | |
| G | 100mm tower bolts fited once to each leaf internally | | | | |
| | Painting | 4 | NO | | |
| Н | prepare and apply 3 coats of wood primer to frame surfaces not exceeding 100mm girth before fixing | 21 | LM | | |
| | Prepare and apply 3 coats of clear varnish to: | | | | |
| ı | surface of frame 100-200mm girth | 21 | LM | | |
| J | surface of door internally | 8 | SM | | |
| K | surface of door externally | 8 | SM | | |
| | TOTAL FOR DOORS CARRIED TO SUMMARY | | | | |

| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |
|------|---|------|-----|------|--------|
| А | ELEMENT NO.4: WINDOWS PURPOSE - MADE UNITS Supply, assemble and fix the following purpose-made mild steel casement windows; standard metal section from approved manufacturer complete with frames, transomes, mullions and Window, overall size 600 x 600mm High openable as per the Architect approved design Glazing | 4 | NO | | |
| В | 4mm Thick obscured sheet glass panes over 0.1 but not exceeding 0.5 square meters; fixing with putty On Metal work Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and | 2 | SM | | |
| С | approved to: - General window surfaces | 2 | SM | | |
| | | | | | |
| | TOTAL FOR WINDOWS CARRIED TO SUMMARY | | | | |

| ITEM | DESCRIPTION | UNIT | QTY | RATE | AMOUNT |
|------|---|------|-----|------|--------|
| | ELEMENT NO. 5 - FINISHES. | | | | |
| | Roof Finishes | | | | |
| Α | 32mm thick cement sand (1:4) Screed to the Concrete roof surfaces | 17 | SM | | |
| В | Waterprof cement to rendered surface Floor finishes. | 17 | SM | | |
| С | 32mm thick wood floated c/s (1:3) backing to receive ceramic floor tiles | 17 | SM | | |
| D | 300x300x6mm thick ceramic floor tiles Wall finishes internally. | 17 | SM | | |
| | | | | | |
| E | 15mm thick plaster in two no. coats,12mm first coat of cement/sand(1:4) and 3mm second coat cement /lime putty(1:4) steel trowelled to internal wall surfaces and vertical beam surfaces. | 48 | SM | | |
| F | Prepare and apply one undercoat and two finishing coats of high quality protector emulsion paint to plastered wall surfaces internally. | 48 | SM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL FOR FINISHES CARRIED TO SUMMARY | | | | |

| ITEM | DESCRIPTION | AMOUNT |
|------|---|--------|
| | <u>SUMMARY</u> | |
| | <u>ELEMENT</u> | KSHs. |
| 1 | SUB-STRUCTURES | |
| 2 | FRAME AND WALLING | |
| 3 | DOORS | |
| 4 | WINDOWS | |
| 5 | FINISHES | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | TOTAL FOR PIT LATRINE CARRIED TO GRAND SUMMARY | |



| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | | | | | |
| | INCINERATOR | | | | |
| | SUBSTRUCTURES (ALL PROVISIONAL) | | | | |
| | <u>Excavations</u> | | | | |
| Α | Excavate oversite to remove all grass and top vegetable soil average 250mm deep and spread as directed on site. | 4 | SM | | |
| В | Excavate for foundation strip footing in normal soil not exceeding 1.5m deep. | 7 | СМ | | |
| С | Excavate for foundation strip footing in normal soil exceeding 1.5m but n.e 3.0m deep. | 7 | СМ | | |
| D | Return fill and ram selected excavated material around foundations. | 6 | СМ | | |
| Е | Load, wheel and cart away from site surplus excavated material and deposit in approved dumping area. | 1 | СМ | | |
| F | Allow for keeping excavations free from all water by pumping or otherwise. | | ITEM | | |
| G | Ditto; for plunking and strutting to sides of excavations. | | ITEM | | |
| Н | 300 mm Thick (average) approved broken quarry stone hardcore filling in two equal layers well compacted. | 4 | SM | | |
| J | 50 mm thick murram/stone dust blinding to surfaces of hardcore | 4 | SM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Total carried to Collection | | | | |
| | | | | | |

| Mass concrete (1:4:8 - class 15/20mm) in; 50mm thick under Strip footing. Vibrated Reinforced concrete (1:2:4 - class 20/20mm) in; B Strip foundations C 150mm thick ground floor slab D Steel fabric mesh reinforcement type A142 weighing 2.22Kg/M² and to B5 4483 and with 150 mm side laps (measured net - no allowance for laps) Reinforcement. B min diameter bars. G Sides of strip footing H Edges of ground floor bed exceeding 75mm but not exceeding 150mm girth. 150mm girth. 150mm girth. 150mm thick natural stone walling; quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses SURFACE TREATMENT J "Dragnet" or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM Total carried to Collection | ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|--|------|---|-----|------|------|--------|
| Steel fabric mesh reinforcement type A142 weighing 2.22Kg/M² and to B5 4483 and with 150 mm side laps (measured net - no allowance for laps) Reinforcement. E 8 mm diameter bars. 63 Kgs F 10mm Ditto; Sawn formwork to: G Sides of strip footing H Edges of ground floor bed exceeding 75mm but not exceeding 150mm girth. MASONRY. 1 200 mm thick natural stone walling; quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses SURFACE TREATMENT J "Dragnet" or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM | Α | 50mm thick under Strip footing. | 5 | SM | | |
| D Steel fabric mesh reinforcement type A142 weighing 2.22Kg/M² and to BS 4483 and with 150 mm side laps (measured net - no allowance for laps) Reinforcement. E 8 mm diameter bars. F 10mm Ditto; Sawn formwork to: G Sides of strip footing H Edges of ground floor bed exceeding 75mm but not exceeding 150mm girth. MASONRY. I 200 mm thick natural stone walling;quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses SURFACE TREATMENT Toragnet' or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM | В | Strip foundations | 1 | СМ | | |
| Steel fabric mesh reinforcement type A142 weighing 2.22Kg/M² and to B5 4483 and with 150 mm side laps (measured net - no allowance for laps) Reinforcement. E 8 mm diameter bars. 63 Kgs 72 Kgs 10mm Ditto; Sawn formwork to: G Sides of strip footing H Edges of ground floor bed exceeding 75mm but not exceeding 150mm girth. MASONRY. 1 200 mm thick natural stone walling;quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses SURFACE TREATMENT J "Dragnet" or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM | С | 150mm thick ground floor slab | 4 | SM | | |
| E 8 mm diameter bars. 63 Kgs 10mm Ditto; 72 Kgs 72 Kgs 72 Kgs 73 Kgs 74 Kgs 75 Kgs 75 Kgs 75 Kgs 75 Kgs 75 Kgs 75 Kgs 76 Kgs 76 Kgs 76 Kgs 77 Kgs 77 Kgs 78 Kgs 78 Kgs 79 K | D | 2.22Kg/M^2 and to BS 4483 and with 150 mm side laps | 4 | SM | | |
| F 10mm Ditto; Sawn formwork to: Sides of strip footing H Edges of ground floor bed exceeding 75mm but not exceeding 150mm girth. MASONRY. 200 mm thick natural stone walling; quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses SURFACE TREATMENT J "Dragnet" or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM | | | | | | |
| 10mm Ditto; Sawn formwork to: Sides of strip footing Edges of ground floor bed exceeding 75mm but not exceeding 150mm girth. MASONRY. 1 200 mm thick natural stone walling;quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses SURFACE TREATMENT J "Dragnet" or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM | | 8 mm diameter bars. | | | | |
| G Sides of strip footing H Edges of ground floor bed exceeding 75mm but not exceeding 150mm girth. MASONRY. 1 200 mm thick natural stone walling; quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses SURFACE TREATMENT J "Dragnet" or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM | F | 10mm Ditto; | 72 | Kgs | | |
| Edges of ground floor bed exceeding 75mm but not exceeding 150mm girth. MASONRY. 200 mm thick natural stone walling; quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses SURFACE TREATMENT "Dragnet" or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM | G | | 3 | SM | | |
| 21 SM and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses SURFACE TREATMENT "Dragnet" or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM | Н | 1 | 7 | LM | | |
| Unagnet" or other equal and approved antitermite insectside treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM SM SM | I | 200 mm thick natural stone walling; quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop | 21 | SM | | |
| treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions. K 500 gauge polythene sheeting laid under concrete floor bed. 4 SM | | SURFACE TREATMENT | | | | |
| | J | treatment to blinded hardcore surfaces applied in accordance | 4 | SM | | |
| Total carried to Collection | K | 500 gauge polythene sheeting laid under concrete floor bed. | 4 | SM | | |
| Total carried to Collection | | | | | | |
| Total carried to Collection | | | | | | |
| Total carried to Collection | | | | | | |
| Total carried to Collection | | | | | | |
| Total carried to Collection | | | | | | |
| | | Total carried to Collection | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | | | | | |
| | Plinth treatment | | | | |
| Α | 12mm thick cement sand 1:4 render to plinth surfaces. | 3 | SM | | |
| В | Prepare and apply three coats of bitumastic paint to | 3 | SM | | |
| | rendered surfaces. | | | | |
| | <u>Superstructures</u> | | | | |
| С | Concrete work Precast concrete; normal class 20 /20mm vibrated in lintels; size 230mm thick x 230mm wide reinforced with 4 No. 10mm diameter mild steel bars and 8mm stirrup bars at 200mm c/c; surfaces finished including all necessary formwork | 5 | LM | | |
| | Walling | | | | |
| D | 200mm thick approved concrete block walling; bedded and jointed in fire proof cement and sand mortar (1:3) | 17 | SM | | |
| E | 75mm thick clay brick facing in fire proof cement and sand (1:3) mortar to fire place walls | 11 | SM | | |
| | Fire proof cement and sand mortar (1:3) in; | | | | |
| F | 38mm thick fire proof cement sand render to floors to receive clay bricks (m/s) | 6 | SM | | |
| G | Ditto to walls ditto (m/s) | 11 | SM | | |
| Н | 12mm thick fire proof cement sand render to concrete block walls internally | 12 | SM | | |
| I | 12mm thick recessed keying and pointing externally in cement and sand mortar (1:3) | 17 | SM | | |
| J | Extra-over ditto for cement and sand throat and weathering; 200mm wide | 13 | LM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Takal 1 1 C II II | | | | |
| | Total carried to Collection | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| А | Metal work Purpose made Units Doors 560 x 800mm mild steel double door; in two equal leaves; 50 x 50 x 3mm thick Angle section frame all round, built into wall with 100mm long 20 x 20 x 2mm thick fishtailed lugs, each leaf comprising 50 x 25 x 2mm thick rectangular hollow section stiles, top and bottom rails; 3 No. 25 x 25 x 2mm thick horizontal infills; faced both sides with vertical infills; faced both sides with 20 gauge sheet in panels welded to frame; all welding ground to smooth finish including 4 No. purpose made hinges welded to frame and post; 2 No. 300mm drop bolts and 1 No. padlock hasp and staple all welded | 1 | NO | | |
| В | Ditto; but size 320 x 400mm high ditto | 1 | NO | | |
| С | <u>Metal grilles</u> Mild steel grilles in 40×10 mm metal bars placed at 40 mm centres one way and 3 no. 20×10 mm mild steel bars the other way in a gridwork size 1000×1000 mm as shown in the drawings | 2 | SM | | |
| | Painting works | | | | |
| D | Prepare and apply one undercoat; two finishing coats of gloss oil paint as "Crown"or other equal and approved to general surfaces of metal; internally | 1 | SM | | |
| Е | Ditto; but externally | 1 | SM | | |
| F | Sundries 600 x 600 x 50mm thick precast concrete pyramid shaped coping with and including stone pier anchorage all jointed, pointed and plastered in cement sand mortar | 1 | NO | | |
| G | 1300mm x 1300 x 6mm thick prefabricated mild steel plate to act as a tray to collect ash collector | 1 | NO | | |
| | Total carried to Collection | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | Collection | | | | |
| | Brought forward from page INC/1 | | | | |
| | Brought forward from page INC/2 | | | | |
| | Brought forward from page INC/3 | | | | |
| | Brought forward from page INC/4 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL FOR INCINERATOR CARRIED TO SUMMARY | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|-----|------|------|--------|
| | | | | | |
| | NON-COMBUSTIBLE GARBAGE AND ASH PIT (1800mm | | | | |
| | diameter x 6000mm deep) (ALL PROVISIONAL) | | | | |
| | Excavations | | | | |
| Α | Bulk Excavation to reduce levels not exceeding 1.5m | 18 | CM | | |
| В | Ditto exceeding 1.5m but not exceeding 3.00metres | 18 | СМ | | |
| С | Load and cart away all surplus excavated materials from site | 36 | СМ | | |
| D | Allow for keeping excavations free from mud and all water including spring and running water by pumping pailing or other approved means. | | ITEM | | |
| Е | Allow for planking and strutting to sides of excavations | | ITEM | | |
| F | Mass concrete (1:3:6/38-38mm aggregate) 200mm thick foundation base for walling | 6 | SM | | |
| | Vibrated reinforced concrete (1:2:4/20-20mm) aggregate as described in: | | | | |
| G | 150mm thick suspended slab | 3 | SM | | |
| Н | Extra over suspended slab for forming 600 x 600mm hole including formwork | 1 | NO | | |
| | Steel reinforcement | | | | |
| | High tensile square twisted bars to B.S. 4461 as described in ; | | | | |
| ı | 10mm Diameter | 70 | KG | | |
| J | 8mm diameter | 30 | KG | | |
| | Sawn formwork as described to: | | | | |
| K | Soffits of suspended slab | 3 | SM | | |
| L | Edges of floor slab 150-225mm high | 6 | LM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to collection | | | | |
| | Curricu to collection | | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|--|----------|------|------|--------|
| | Walling | | | | |
| А | 200mm Thick rough chiselled dressed natural stone walling bedded and jointed in cement and sand (1:3) mortar | 6 | SM | | |
| В | Extra over walling for leaving 100mm diameter holes | 2 | NO | | |
| | Water proof Cement and sand (1:3) in; | | | | |
| С | 12mm thick rendering to soffits of suspended slab | 3 | SM | | |
| D | 12mm thick rendering to masonry wall surfaces | 6 | SM | | |
| | <u>Sundries</u> | | | | |
| E | 600 x 600mm heavy duty cast iron manhole cover and frame | 1 | NO | | |
| | Comite | d to ool | | | |

Carried to collection

| COLLECTION | | | |
|--|--------------|--------|--|
| COLLECTION | | | |
| Brought | forward from | INC/6 | |
| | | | |
| | | NIC (7 | |
| Brought | forward from | INC// | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| TOTAL FOR NON-COMBUSTIBLE GARBAGE AND CARRIED TO SUMMARY | ASH PIT | | |
| CAINILD TO SUMMANT | | | |

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|----------------|------|--------|
| | | | | | |
| | | | | | |
| | SUMMARY | | | | |
| | | | | | |
| | INCINERATOR | | | | |
| | NON-COMBUSTIBLE GARBAGE AND ASH PIT | | INC/5 INC/7 | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL INCINERATOR AND NON-COMBUSTIBLE GARBAGE AND ASH PIT CARRIED TO GRAND SUMMARY | | | | |



PLACENTA PIT

| Item | Description | Qty | Unit | Rate | Kshs. |
|------|---|-----|------|------|-------|
| | PLACENTA PIT (1800mm diameter x 6000mm | | | | |
| | deep) (ALL PROVISIONAL) | | | | |
| | Excavations | | | | |
| Α | Bulk Excavation to reduce levels not exceeding 1.5m | 9 | СМ | | |
| В | Ditto exceeding 1.5m but not exceeding 3.0metres | 9 | СМ | | |
| С | Ditto exceeding 3.0m but not exceeding 4.5metres | 9 | CM | | |
| D | Ditto exceeding 4.5m but not exceeding 6.0metres | 9 | СМ | | |
| E | Load and cart away all surplus excavated materials from site | 36 | СМ | | |
| F | Allow for keeping excavations free from mud and all water including spring and running water by pumping piling or other approved means. | | ITEM | | |
| G | Allow for planking and strutting to sides of excavations | | ITEM | | |
| н | Mass concrete (1:3:6/38-38mm aggregate) 200mm thick foundation base for walling | 6 | SM | | |
| | Vibrated reinforced concrete (1:2:4/20-20mm) aggregate as described in: | | | | |
| I | 150mm thick suspended slab | 3 | SM | | |
| J | Extra over suspended slab for forming 600 x 600mm hole including formwork <u>Steel</u> <u>reinforcement</u> | 1 | NO | | |
| K | 10mm Diameter | 70 | KG | | |
| L | 8mm diameter | 30 | KG | | |
| | Sawn formwork as described to: | | | | |
| М | Soffits of suspended slab | 3 | SM | | |
| N | Edges of floor slab 150-225mm high | 6 | LM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to collection | | | | |

PLACENTA PIT

| n | | | |
|---------------------------|--|--|--|
| | | | |
| Brought forward from PT/1 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| - | TOTAL FOR PLACENTA PIT | |
|---|------------------------|--|
| | CARRIED TO SUMMARY | |

PT/2

WATER TANK

RIGA DISPENSARY - ISIOLO COUNTY TANK BASE

| ITEM | DESCRIPTION | QTY | UNIT | RATE | AMOUNT |
|------|---|-----|------|------|--------|
| | | | | | |
| | WATER TANK BASE | | | | |
| | | | | | |
| Α | Clear site of all grasses, bushes, undergrowth and | | | | |
| | burn arisings Excavation | 8 | SM | | |
| В | Bulk excavation to remove black cotton soil | 37 | СМ | | |
| С | Excavate for foundation trench | 3 | СМ | | |
| D | Extra over excavation in hard rock | 1 | СМ | | |
| E | Allow for keeping excavations free from all water by pumping or otherwise. | | ITEM | | |
| F | Allow for plunking and strutting to sides of excavation | | ITEM | | |
| G | Imported approve murram backfilling | 37 | CM | | |
| | Concrete works | | | | |
| Н | 50mm thick mass blinding 1:3:6 | 1 | SM | | |
| | Vibrated reinforced concrete 1:2:4 in:- | | | | |
| J | Strip footing | 3 | CM | | |
| K | Ground Beam | 1 | СМ | | |
| L | 150mm thick Ground Slab | 8 | SM | | |
| | Reinforcement | | | | |
| М | 8-16mm Diameter bars | 63 | KG | | |
| | Sawn formwork to:- | | | | |
| N | Sides of strip footing | 2 | SM | | |
| Р | Edges of ground floor slab | 12 | LM | | |
| Q | BRC A142 fabric mesh reinforcement | 8 | SM | | |
| R | PREMISE 200CC' or other equal and approved insecticide with a ten-years guarantee to surfaces of fill and tops of foundations | 8 | SM | | |
| | TOTAL CARRIED TO COLLECTION | | | | |
| | | | | | II |

| ITEM | DESCRIPTION | QTY | UNIT | | |
|------|---|-----|----------|---|--|
| | | | | | |
| A | 1000 gauge polythene or other equal and approved plastic sheet damp proof membrane laid over blinding | 8 | SM | 1 | |
| В | 50mm thick Quarry dust blinding to surfaces of hardcore | 8 | SM | | |
| С | Imported hardcore filling including depositing levelling and compacted in layers of 150mm | 2 | СМ | | |
| D | <u>Foundation Walling</u> 200mm thick natural stone walling in cement sand 1:3 mortar | 10 | SM | | |
| | Insitu finishings | _ | . | | |
| E | 12mm thick 2 No. coatwork cement sand (1:3) render; wood floated to concrete or blockwork base to walls; external | 5 | SM | | |
| | Prepare and apply three coats black bituminous paint on: | | | | |
| F | Rendered plinths, externally. | 5 | SM | | |
| G | Provide for installation of 1 NO 5,000lts PVC water storage tank as ROTO or any other equal and approved; including all necessary connections | | ITEM | | |
| | | | | | |
| | Total carried to collection | | | | |
| | COLLECTION | | | | |
| | TOTAL FROM PAGE WT/1 | | | | |
| | TOTAL FROM PAGE WT/2 ABOVE | | | | |
| | | | | | |
| | TOTAL FOR TANK BASE | | | | |



| ITEM | DESCRIPTION | KSHS | KSHS |
|------|---|------------------|---|
| | GRAND SUMMARY | FOR OFFICIAL USE | FOR CONTRACTOR'S USE |
| 1 | - PRELIMINARIES | | |
| 2 | DISPENSARY BLOCK | | |
| 3 | INCINERATOR & NON-COMBUSTIBLE ASH PIT | | |
| 4 | PLACENTA PIT | | |
| 5 | TANK BASE & TANK | | |
| 6 | PIT LATRINE | | |
| 7 | ALLOW FOR CONTIGENCIES | | 300,000.00 |
| 8 | ALLOW FOR PROJECT MANAGEMENT | | 220,000.00 |
| | SUB-TOTAL | | |
| | ADD V.A.T 16% | | |
| | TOTAL CARRIED TO FORM OF TENDER KSHS | | |
| | CONTRACTOR'S NAME, ADDRESS, DATE , SIGNATURE , | | |
| | WITNESS NAME, ADDRESS DESCRIPTION DATE, | | |
| | SIGNATURE, | •••• | ••••••••••••••••••••••••••••••••••••••• |

